

MORTALITY STATISTICS.

INTRODUCTION, COMMENTARY, AND COMPILED FROM TABULAR PORTION OF MORTALITY, EIGHTH CENSUS.

By EDWARD JARVIS, M. D., DORCHESTER, MASS.

The following refers to the authorities and other data, considered by the compiler of Mortality Statistics, in connexion with that subject:

The compiler of the Mortality Statistics reports, January 1, 1866, in connexion with that branch of the statistics, that in preparing the compilation he has availed himself of information from published works and private correspondence; that the facts furnished in the schedules of marshals were arranged and digested in the Census Office; that the facts in regard to sex, age, month, and disease, were then submitted to the compiler as the basis for his report, with instructions to use other pertinent collateral facts; that he has made use of the Preliminary Report of the Eighth Census, quoting therefrom some whole tables, in respect to immigration and the distribution of the population in the United States, referring in this connexion to the fourth, fifth, sixth, and seventh censuses, and to the Mortality Statistics of the seventh; also to 5-years annual report of Vermont; 22, Massachusetts; 11, Rhode Island; 17, Connecticut; 14, New Jersey; 3, Virginia; 4, South Carolina; 8, Kentucky; 40, Boston; 24, Providence; 60, New York; 11, Brooklyn; 7, Buffalo; 42, Philadelphia; 38, Baltimore; 30, Charleston, South Carolina; 12, Washington; 5, New Orleans; 3, Memphis, Tennessee; Shattuck's Census of Boston, 1845; Medical Statistics United States Army, 1839, 1854, 1855, 1859; Blodgett's Climatology; Reports of Smithsonian Institute; of Registrar General of England, 26 years; Scotland, 8 years; Census of England, 1841, 1851, and 1861; Scotland, 1851 and 1861; Ireland, 1841, 1851, and 1861; Statistique de la France, Annual, 1851 to 1860; Denmark, 1863; Austria, 1862; Statistics of Sweden, Frankfort, Brussels, London Society; Annales de l'Hygiene; Traite de Geographie et de Statistique Medicale, par J. Ch. M. Bondin; Dictionnaire de l'Economie Politique, par Maurice Block; Farr's Life Table; British Parliamentary report; Population of Portugal report; Sickness and Mortality of British army in West Indies, and Medical Report of British army; Quetelet sur l'Homme; McCulloch's Statistics of British Empire; Porter's Progress British Empire; Transactions of the British Association for the Promotion of Social Science, 7 years; Price on Annuities; Transactions of the International Statistical Congress, London, 1860, and Berlin, 1863. He acknowledges credit due to friends and correspondents, here and abroad, as being of great value, and regrets the law did not include the health, sickness, and disability of every individual, according to plan published in the Transactions of the International Statistical Congress at London, 1860, so as to show the amount of human power and weakness in the nation; the number that are in good health, and of those suffering from each kind of disease or impaired by any kind of disability, among all the people, as in some of the censuses of Europe.

Regrets that in the abstract of the facts gathered by the marshals, the whites and the colored, and also the natives and foreigners, were not discriminated, so far as known, (the liability of these races, and of these classes, to disease and death, differs,) and hopes that in future censuses all these facts will be ascertained in the original inquiry, and the distinctions made in all the stages of analysis and abstract, and the precise amount of health and power of life, and mortality, of both races and both classes, be shown in the reports.

MORTALITY STATISTICS.

YEAR ENDING JUNE 1, 1860.

MORTALITY OF THE UNITED STATES.

TABLE I.—DEATHS IN THE YEAR ENDING JUNE 1, 1860, IN STATES, BY DISTRICTS.

STATES AND DISTRICTS.	DEATHS.		
	Males.	Females.	Total.
Maine.....	3,785	3,829	7,614
New Hampshire.....	2,186	2,283	4,469
Vermont.....	1,647	1,708	3,355
Massachusetts.....	10,683	10,621	21,304
Rhode Island.....	1,272	1,207	2,479
Connecticut.....	3,168	2,971	6,139
New York.....	25,128	21,813	46,941
Total 1st district.....	47,869	44,432	92,301
Michigan.....	3,931	3,480	7,401
Wisconsin.....	3,893	3,248	7,141
Minnesota.....	594	515	1,109
Nebraska.....	201	180	381
Total 2d district.....	8,609	7,423	16,032
New Jersey.....	4,024	3,501	7,525
Pennsylvania.....	16,249	13,992	30,241
Total 3d district.....	20,273	17,493	37,766
Ohio.....	12,890	11,836	24,726
Indiana.....	7,855	7,471	15,326
Illinois.....	10,368	8,932	19,300
Iowa.....	3,875	3,384	7,259
Kansas.....	870	697	1,567
Total 4th district.....	35,858	32,320	68,178
Delaware.....	618	628	1,246
Maryland.....	3,831	3,543	7,374
District of Columbia.....	695	590	1,285
Virginia.....	11,472	11,002	22,474
North Carolina.....	6,275	6,342	12,617
Total 5th district.....	22,891	22,105	44,996
Kentucky.....	8,611	7,856	16,467
Tennessee.....	7,758	7,398	15,156
Missouri.....	9,585	8,069	17,654
Total 6th district.....	25,954	23,323	49,277
South Carolina.....	4,961	4,788	9,749
Georgia.....	6,654	6,162	12,816
Florida.....	979	790	1,769
Alabama.....	6,753	6,007	12,760
Total 7th district.....	19,347	17,747	37,094
Mississippi.....	6,425	5,789	12,214
Louisiana.....	7,250	5,074	12,324
Arkansas.....	4,735	4,121	8,856
Texas.....	5,122	4,255	9,377
Total 8th district.....	20,532	19,239	42,771
Oregon.....	156	144	300
California.....	2,473	1,232	3,705
Dakota.....	3	1	
New Mexico.....	736	509	1,305
Utah.....	215	159	374
Washington.....	27	23	50
Total 9th district.....	3,610	2,128	5,738
Total United States.....	207,943	186,210	394,153

MORTALITY OF THE UNITED STATES.

TABLE II.—DEATHS IN THE YEAR ENDING JUNE 1, 1860, ACCORDING TO SEX AND DISEASE.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess	349	219	568	Paramenia		157	157
Anæmia	21	18	39	Parotitis		76	47
Aneurism	33	11	44	Pericarditis		27	22
Angina pectoris	4	2	6	Peritonitis		49	64
Apoplexy	1,779	1,304	3,083	Phlebitis		11	14
Asthma	358	311	669	Pleurisy		728	532
Bowels, disease of	901	709	1,610	Pneumonia		15,816	11,278
Brain, disease of	3,344	2,382	5,726	Prostate, disease of	4		27,094
Bronchitis	1,052	867	1,919	Puerperal fever			4
Cancer	1,230	2,062	3,292	Purpura and scurvy		1,202	1,202
Carbuncle	63	35	98	Quinsy		52	27
Cephalitis	5,772	4,577	10,349	Rheumatism		369	361
Child-birth		4,066	4,066	Scarlatina		1,106	775
Cholera	599	397	996	Scofula		13,221	13,181
Cholera infantum	2,582	2,926	4,508	Skin, disease of		1,401	1,302
Chorea	21	34	55	Small-pox		983	773
Cold water	5		5	Spine, disease of		736	535
Consumption	23,036	26,046	49,082	Splenitis		616	462
Convulsions	5,018	4,059	9,077	Still-born		47	29
Croup	8,250	6,961	15,211	Stomach, disease of		891	649
Cyanosis	9	20	29	Stone		137	137
Cystitis	151	31	182	Sudden death		607	67
Dobility	1,077	1,064	2,141	Syphilis		469	347
Delirium tremens	518	57	575	Teething		139	94
Diabetes	289	96	385	Tetanus		2,563	2,346
Diarrhoea	4,339	3,511	7,850	Throat, disease of		995	626
Diphtheria	788	875	1,663	Thrush		1,714	1,916
Dropsey	6,161	6,496	12,657	Tumor		256	352
Dysentery	5,630	4,838	10,468	Ulcer		199	181
Dyspepsia	513	319	832	Unknown		19,181	17,526
Enteritis	3,556	2,748	6,304	Uterus, disease of		244	244
Epilepsy	284	217	501	Whooping cough		3,832	4,576
Erysipelas	1,451	1,295	2,746	Worms		1,041	955
Fever, intermittent	2,390	2,160	4,550	Yellow fever		504	156
Fever, remittent	5,768	5,332	11,120	Aggregates		193,765	180,257
Fever, typhoid	10,339	8,897	19,236				374,022
Fistula	30	7	37	VIOLENT DEATHS.			
Gastritis	479	519	1,019	I. Accidental:			
Gout	33	8	41	Accident not specified		3,513	665
Heart, disease of	3,452	2,954	6,406	Burns and scalds		1,797	2,469
Hemat	299	61	360	Drowning		2,664	457
Hemorrhage	743	578	1,321	Fall		1,019	304
Hepatitis	119	81	200	Fire-arms		694	47
Hernia	260	100	360	Frosting		126	13
Hydrocephalus	1,880	1,534	3,414	Lightning		133	58
Hydrophobia	26	12	38	Neglect and exposure		102	60
Ileus	31	13	44	Poison		557	393
Infantile	3,374	2,860	6,234	Railroad		542	57
Inflammation	730	596	1,326	Strangulation		189	102
Influenza	193	193	385	Suffocation		1,091	1,038
Insanity	251	201	452	Total accidents		12,427	5,663
Intemperance	842	89	931				18,090
Ischuria	47	8	55	II. Suicide:			
Jaundice	365	316	681	Cutting throat		71	11
Joints, disease of	82	49	131	Drowning		40	31
Kidney, disease of	614	172	816	Fire-arms		109	3
Laryngitis	48	26	74	Hanging		250	56
Liver, disease of	1,466	1,167	2,633	Poison		93	44
Lungs, disease of	1,999	1,577	3,576	Strangulation		2	2
Malformation	73	54	127	Suicide, not specified		224	59
Marasmus	470	439	909	Total suicides		789	204
Measles	1,937	1,962	3,899				993
Mortification	184	96	280	III. Homicide		428	33
Necrosis	124	60	184	IV. Murder		479	49
Neuralgia	411	492	903	V. Executed		55	4
Old age	4,899	5,988	10,887	Total violent deaths		14,178	5,953
Ovarian dropsy			9	Grand totals		207,943	186,210
Paralysis	2,318	2,319	4,637				394,153

MORTALITY OF THE UNITED STATES.

5

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860.

MAINE.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess	8	8	16	Phlebitis.....	1	1
Apoplexy	33	13	46	Pleurisy.....	10	7	17
Asthma	5	4	9	Pneumonia.....	160	133	293
Bowels, disease of	31	28	59	Prostate, disease of	1	1
Brain, &c., disease of	87	72	159	Puerperal fever.....	4	4
Bronchitis	6	7	13	Quinsy	2	1	3
Cancer	50	62	112	Rheumatism	18	12	30
Carbuncle	3	3	Scarlatina	182	165	347
Cephalitis	69	44	113	Scrofula	29	10	39
Child-birth	58	58	Skin, disease of	5	5	10
Cholera	20	16	36	Small-pox	35	21	56
Cholera infantum	20	16	36	Spine, disease of	11	14	25
Chorea	1	1	Still-born	1	1
Consumption	871	1,298	2,169	Stomach, disease of	6	3	9
Convulsions	52	53	105	Stone	19	4	23
Croup	68	51	119	Sudden death	6	8	14
Cystitis	3	3	Syphilis	1	3	4
Debility	14	19	33	Teething	23	13	36
Delirium tremens	3	3	Tetanus	2	1	3
Diabetes	13	7	20	Throat, disease of	25	39	64
Diarrhoea	52	49	101	Thrush	35	33	68
Diphtheria	1	1	Tumor	9	23	32
Dropsey	111	141	252	Ulcer	1	2	3
Dysentery	66	71	137	Unknown	139	137	276
Dyspepsia	8	6	14	Uterus, &c., disease of	1	1
Enteritis	51	40	91	Whooping cough	33	39	72
Epilepsy	6	1	7	Worms	7	5	12
Erysipelas	33	20	53	Aggregates	3,488	3,759	7,247
Fever, intermittent	1	1	2	VIOLENT DEATHS.			
Fever, remittent	85	95	180	I. Accidental :			
Fever, typhoid	212	222	434	Accident not specified	45	4	49
Fistula	1	1	Burns and scalds	26	25	51
Gastritis	2	1	3	Drowning	139	13	152
Gout	1	1	Falls	33	10	43
Heart, &c., disease of	139	107	246	Fire-arms	5	1	6
Heat	1	1	Freezing	2	1	3
Hemorrhage	17	7	24	Lightning	2	2
Hepatitis	2	2	Neglect and exposure	2	2	4
Hernia	11	5	16	Poison	5	2	7
Hydrocephalus	63	73	136	Railroad	8	1	9
Ileus	1	1	Strangulation	3	3
Infantile	26	18	44	Total accidents	268	61	329
Inflammation	12	10	22	II. Suicide :			
Influenza	10	13	23	Cutting throat	3	3
Insanity	6	5	11	Drowning	4	3	7
Intemperance	5	5	Hanging	12	4	16
Jaundice	4	4	8	Poison	3	1	4
Joints, &c., disease of	2	3	5	Suicide not specified	2	1	3
Kidney, &c., disease of	29	3	32	Total suicides	24	9	33
Liver, disease of	41	21	62	III. Homicide :			
Lungs, disease of	65	55	120	4	4
Malformation	1	1	IV. Murder :			
Mesles	15	16	31	1	1
Mortification	6	1	7	Total violent deaths	297	70	367
Neuralgia	3	7	10	Grand totals .			
Old age	196	235	431	3,785	3,829	7,614
Ovarian dropsey	1	1				
Paralysis	88	82	170				
Parotitis	1	1	2				
Pericarditis	1	1				
Peritonitis	1	1				

MORTALITY OF THE UNITED STATES.

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

NEW HAMPSHIRE.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess.....	6	6	12	Scarlatina	82	87	169
Apoplexy.....	22	17	39	Scrofula	18	22	40
Asthma.....	2	1	3	Skin, disease of	4	4	4
Bowels, disease of.....	15	11	26	Small-pox	16	6	22
Brain.....	41	28	69	Spine, disease of	5	10	15
Bronchitis	3	5	8	Still-born	2	2	2
Cancer	36	66	102	Stomach, disease of	3	3	3
Carbuncle	1	1	2	Stone.....	13	1	14
Cephalitis.....	23	23	46	Sudden death	6	4	10
Child-birth.....		20	20	Syphilis		1	1
Cholera.....	5	4	9	Teething	6	14	20
Cholera infantum.....	39	40	79	Tetanus	1	1	2
Consumption	508	655	1,163	Throat, disease of	11	16	27
Convulsions.....	45	21	66	Thrush	12	18	30
Croup	39	33	72	Tumor	4	11	15
Cystitis.....	2		2	Ulcer	2	2	2
Debility.....	15	10	25	Unknown	96	101	197
Delirium tremens	8		8	Uterus, &c., disease of		1	1
Diabetes.....	9	5	14	Whooping cough	20	28	48
Diarrhoea.....	13	14	27	Worms	1	4	5
Dropsy	79	75	154	Aggregates			4,312
Dysentery	46	39	85	VIOLENT DEATHS.			
Dyspepsia	3	2	5	I. Accidental :			
Enteritis.....	25	25	50	Accident not specified	30	7	37
Epilepsy	3		3	Burns and scalds	6	10	16
Erysipelas	23	21	44	Drowning	34	2	36
Fever, intermittent	1		1	Falls	10	4	14
Fever, remittent	39	61	100	Fire-arms	4	1	5
Fever, typhoid	121	118	239	Freezing	1		1
Gastritis	5	8	13	Lightning	1	1	2
Heart	85	73	158	Neglect and exposure	3		3
Heat		1	1	Poison	3		3
Hemorrhage	9	5	14	Railroad	4		4
Hernia	3		3	Strangulation	1	1	2
Hydrocephalus	22	15	37	Suffocation	1		1
Infantile	56	30	86	Total accidents			124
Inflammation	13	9	22	II. Suicide :			
Influenza	6	8	14	Cutting throat	5		5
Insanity	4	3	7	Drowning	3	1	4
Intemperance	8		8	Fire-arms	2		2
Jaundice	1	1	2	Hanging	12	1	13
Joints, &c., disease of		2	2	Poison	2	1	3
Kidney, &c., disease of	15	3	18	Suicide not specified	3	1	4
Liver, disease of	21	28	49	Total suicides			31
Lungs, disease of	35	24	59	IV. Murder			
Malformation	1		1	Total violent deaths			157
Measles	3	2	5	Grand totals			4,469
Mortification	9	6	15	2,186			
Necrosis	1		1	2,283			
Neuralgia		5	5	4,469			
Old age	122	168	290				
Paralysis	48	88	136				
Peritonitis		1	1				
Pleurisy	5	10	15				
Pneumonia	107	117	224				
Puerperal fever		7	7				
Purpura and scurvy	1	1	2				
Rheumatism	11	7	18				

MORTALITY OF THE UNITED STATES.

7

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

VERMONT.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess	7	2	9	Puerperal fever.....		3	3
Apoplexy	21	25	46	Purpura and scurvy		1	1
Asthma	3	1	4	Rheumatism.....	5	5	10
Bowels, disease of.....	2	6	8	Scarlatina	134	110	244
Brain, &c., disease of	32	26	58	Scrofula.....	6	9	15
Bronchitis	3	1	4	Skin, disease of	1	3	4
Cancer	30	52	82	Small-pox	4	7	11
Cephalitis	23	20	43	Spine, disease of	5	6	11
Child-birth		27	27	Splenitis.....	2		2
Cholera	5	3	8	Still-born.....	2	2	4
Cholera infantum	10	7	17	Stone	14		14
Chorea	1	1	2	Sudden death.....	1		1
Consumption	314	465	779	Teething	3	1	4
Convulsions	22	25	47	Tetanus		3	3
Croup	40	38	78	Throat, disease of	4	3	7
Cystitis.....	1		1	Thrush.....	5	1	6
Debility	8	10	18	Tumor	6	9	15
Delirium tremens	1		1	Ulcer	2	1	3
Diabetes	14	3	17	Unknown	88	75	163
Diarrhea.....	7	9	16	Uterus, &c., disease of		3	2
Diphtheria.....	4	2	6	Whooping cough.....	15	17	32
Dropsy	55	78	133	Worms	3	1	4
Dysentery	25	23	48	Aggregates			3,240
Dyspepsia	1	3	4	1,567			1,673
Enteritis	46	30	76				
Epilepsy	1	1	2				
Erysipelas	20	10	30				
Fever, intermittent	1	3	4				
Fever, remittent	20	19	39				
Fever, typhoid	111	99	210				
Gastritis.....	6	6	12				
Heart, &c., disease of	79	71	150				
Hemorrhage	7	3	10				
Hepatitis		1	1				
Hernia		2	2				
Hydrocephalus	13	15	28				
Infantile.....	6	5	11				
Inflammation	2	3	5				
Influenza	1	2	3				
Insanity	*1	2	3				
Intemperance	3		3				
Jaundice	2	2	4				
Joints, &c., disease of	2	1	3				
Kidney, &c., disease of	8	2	10				
Laryngitis		1	1				
Liver, disease of	12	14	26				
Lungs, disease of	31	39	70				
Malformation		1	1				
Measles	5	5	10				
Mortification	5		5				
Neuralgia	4	5	9				
Old age	122	132	254				
Paralysis	33	40	73				
Peritonitis	1	1	2				
Pleurisy	2	6	8				
Pneumonia	94	66	160				

VIOLENT DEATHS.							
I. Accidental:							
Accident not specified		21		2		23	
Burns and scalds		11		14		25	
Drowning		18		5		23	
Fall		6		3		9	
Fire-arms		1				1	
Freezing				1		1	
Lightning		1				1	
Poison		2		4		6	
Railroad		2				2	
Strangulation		1				1	
Suffocation		1		2		3	
Total accidents		64		31		95	
II. Suicide:							
Cutting throat		1				1	
Drowning				1		1	
Hanging		7		3		10	
Poison		5				5	
Suicide not specified		3				3	
Total suicides		16		4		20	
Total violent deaths		80		35		115	
Grand totals		1,647		1,708		3,355	

MORTALITY OF THE UNITED STATES

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

MASSACHUSETTS.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess	21	12	33	Paramenia		1	1
Anæmia	1	6	7	Purofritis	4		4
Anæurism	6	1	7	Pericarditis	1	2	3
Angina pectoris	2		2	Peritonitis	7	8	15
Apoplexy	110	84	194	Phlebitis	1	2	3
Asthma	26	19	45	Pleurisy	51	50	101
Bowels, disease of	150	121	271	Pneumonia	534	467	1,001
Brain, &c., disease of	268	194	462	Puerperal fever		26	26
Bronchitis	32	21	53	Purpure and scurvy	1	2	3
Cancer	95	199	294	Quinsy	1		1
Carbuncle	2	1	3	Rheumatism	37	36	73
Cephalitis	92	84	176	Scarlatina	382	497	809
Child-birth		251	251	Serofula	55	55	110
Cholera	43	33	76	Skin, disease of	10	5	15
Cholera infantum	436	367	803	Small-pox	297	174	471
Chorea	1		1	Spine, disease of	35	33	68
Consumption	2,168	2,677	4,845	Splenitis	1		1
Convulsions	253	192	445	Still-born	70	28	98
Croup	307	294	601	Stomach, disease of	2	2	4
Cynosis	2	3	5	Stone	30	7	37
Cystitis	1		1	Sudden death	23	9	32
Debility	70	80	150	Syphilis	15	11	26
Delirium tremens	27	3	30	Teething	167	126	293
Diabetes	21	8	29	Tetanus	16	4	20
Diarrhea	66	60	146	Throat, disease of	57	71	128
Diphtheria	13	14	27	Thrush	85	87	172
Dropsey	261	312	573	Tumor	26	50	76
Dysentery	278	290	568	Ulcer	9	3	12
Dyspepsia	14	3	16	Unknown	303	320	623
Enteritis	100	128	228	Uterus, &c., disease of		8	8
Epilepsy	27	12	39	Whooping cough	139	213	352
Erysipelas	83	70	153	Worms	10	5	15
Fever, intermittent	2	3	5	Aggregate	10,025	10,368	20,393
Fever, remittent	136	124	260	VIOLENT DEATHS.			
Fever, typhoid	363	337	700	I. Accidental:			
Fistula	2	3	5	Accident not specified	140	88	228
Gastritis	26	22	48	Burns and scalds	48	62	110
Gout	2		2	Drowning	218	27	245
Heart, &c., disease of	389	316	705	Fall	69	15	84
Heat	7	1	8	Fire-arms	8		8
Hemorrhage	44	40	84	Freezing	1		1
Hepatitis	2		2	Lightning	1		1
Hernia	6	4	10	Neglect and exposure	6	11	17
Hydrocephalus	241	237	478	Poison	6	7	13
Hydrophobia	2		2	Railroad	44	8	52
Ileus	3	1	4	Strangulation	4	2	6
Infantile	337	283	620	Suffocation	12	5	17
Inflammation	28	26	54	Total accidents	557	225	782
Influenza	19	26	45	II. Suicide:			
Insanity	34	28	62	Cutting throat	7	1	8
Intemperance	38	20	58	Drowning	4	4	8
Ischuria	1		1	Fire-arms	7		7
Jaundice	11	13	24	Hanging	19	2	21
Joints, &c., disease of	19	9	28	Poison	8	5	13
Kidney, &c., disease of	51	14	65	Strangulation	2		2
Laryngitis	3	2	5	Suicide not specified	43	8	51
Liver, disease of	72	83	155	Total suicides	90	20	110
Lungs, disease of	171	143	314	III. Homicide			
Malformation	1		1	IV. Murder	6	8	14
Marasmus	22	26	48	Total violent deaths	658	253	911
Measles	81	60	141	Grand totals	10,683	10,621	21,304
Mortification	9	14	23				
Neuralgia	7	20	27				
Old age	361	535	896				
Ovarian dropsey		2	2				
Paralysis	170	206	376				

MORTALITY OF THE UNITED STATES.

9

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

RHODE ISLAND.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess.....	3	2	5	Puerperal fever.....		3	3
Aneurism.....		1	1	Purpura and scurvy.....	1	1	2
Apoplexy.....	15	24	39	Quinsy.....		1	1
Asthma.....	1	3	4	Rheumatism.....	6	5	11
Bowels, disease of.....	9	3	12	Scarlatina.....	48	42	90
Brain, &c., disease of.....	22	13	35	Scarfula.....	5	6	11
Bronchitis.....	4	6	10	Skin, disease of.....	1		1
Cancer.....	14	31	45	Small-pox.....	7	1	8
Cephalitis.....	27	17	44	Spine, disease of.....	6	4	10
Child-birth.....		16	16	Still-born.....	3	1	4
Cholera.....	3	2	5	Stomach, disease of.....		1	1
Cholera infantum.....	39	30	69	Sudden death.....	5	1	6
Consumption.....	254	313	567	Syphilis.....	2	2	4
Convulsions.....	48	30	78	Teething.....	21	16	37
Croup.....	43	25	68	Tetanus.....	2	1	3
Cyanosis.....		1	1	Throat, disease of.....	2	5	7
Debility.....	16	12	28	Thrush.....	7	4	11
Delirium tremens.....	5	1	6	Tumor.....	1	3	4
Diabetes.....	3	2	5	Unknown.....	56	66	122
Diarrhoea.....	25	16	41	Uterus, &c., disease of.....		1	1
Diphtheria.....	12	11	23	Whooping cough.....	33	27	60
Dropsey.....	30	37	67	Worms.....	1	4	5
Dysentery.....	32	28	60	Aggregates.....			2,341
Dyspepsia.....	1	1	2	1,174			
Enteritis.....	21	7	28	1,167			
Epilepsy.....	6		6				
Erysipelas.....	5	17	22				
Fever, remittent.....	9	6	15				
Fever, typhoid.....	37	29	66				
Fistula.....	1		1				
Gastritis.....	2	2	4				
Heart, &c., disease of.....	36	32	68				
Hemorrhage.....	9	7	16				
Hepatitis.....	2	1	3				
Hernia.....		1	1				
Hydrocephalus.....	34	17	51				
Ileus.....	1		1				
Infantile.....	6	14	20				
Inflammation.....	5	1	6				
Insanity.....	3	2	5				
Intemperance.....	10	4	14				
Jaundice.....		2	3				
Kidney, &c., disease of.....	4	4	8				
Laryngitis.....	1		1				
Liver, disease of.....	12	9	21				
Lungs, disease of.....	8	7	15				
Malformation.....	7	5	12				
Marasmus.....	8	13	21				
Measles.....		3	3				
Mortification.....	1	4	5				
Neuralgia.....	1	1	2				
Old age.....	42	64	106				
Paralysis.....	21	11	32				
Paramenia.....		1	1				
Peritonitis.....	3	5	8				
Phlebitis.....		1	1				
Pleurisy.....	1	5	6				
Pneumonia.....	64	72	136				

MORTALITY OF THE UNITED STATES.

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

CONNECTICUT.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess	9	7	16	Peritonitis		2	2
Anæmia		1	1	Pleurisy	13	8	21
Apoplexy	57	39	96	Pneumonia	155	147	302
Asthma	1		1	Puerperal fever		12	12
Bowels, disease of	15	10	25	Quinsy	1	2	3
Brain, &c., disease of	43	30	73	Rheumatism	18	17	35
Bronchitis	11	3	14	Scarlatina	188	201	389
Cancer	25	48	73	Scrofula	19	19	38
Carbuncle	1		1	Skin, disease of	1	2	3
Cephalitis	79	51	130	Small-pox	5	8	13
Child-birth		53	53	Spine, disease of	8	5	13
Cholera	14	5	19	Splenitis		1	1
Cholera infantum	71	52	123	Still-born	17	9	26
Chorea	1	1	2	Stomach, disease of	1	2	3
Consumption	596	673	1,269	Stone	13	1	14
Convulsions	99	88	187	Sudden death	13	7	20
Croup	83	81	164	Syphilis	1	1	2
Cyanosis		1	1	Teething	31	21	52
Cystitis	2	1	3	Tetanus	13	3	16
Debility	13	28	41	Throat, disease of	22	25	47
Delirium tremens	18	2	20	Thrush	4	8	12
Diabetes	5	1	6	Tumor	1	18	19
Diarrœa	13	7	20	Ulcer	3	1	4
Diphtheria	13	12	25	Unknown	108	127	235
Dropay	82	127	209	Uterus, &c., disease of		2	2
Dysentery	65	58	123	Whooping cough	40	57	97
Dyspepsia		2	2	Worms	2	3	5
Enteritis	56	34	90	Aggregates	2,976	2,897	5,873
Epilepsy	5	3	8	VIOLENT DEATHS.			
Erysipelas	34	35	69	I. Accidental:			
Fever, intermittent	1	1	2	Accident not specified	61	9	70
Fever, remittent	65	58	123	Burns and scalds	13	34	47
Fever, typhoid	125	91	216	Drowning	47	6	53
Fistula	1		1	Fall	10	5	15
Gastritis	4	7	11	Fire-arms	7	1	8
Gout	1		1	Lightning	2		2
Heart, &c., disease of	103	72	175	Neglect and exposure	2		2
Heat	2		2	Poison	8	3	11
Hemorrhage	20	22	42	Railroad	9	3	12
Hepatitis	3	3	6	Strangulation	1	3	4
Hernia	3	4	7	Suffocation	5	3	8
Hydrocephalus	42	45	87	Total accidents	165	67	232
Infantile	15	16	31	II. Suicide:			
Inflammation	11	8	19	Cutting throat	2		2
Influenza	3	4	7	Drowning	2	3	5
Insanity	6	7	13	Fire-arms	2		2
Intemperance	16	1	17	Hanging	5		5
Jaundice	5	6	11	Poison	3	2	5
Joints, &c., disease of	5	2	7	Suicide not specified	9		9
Kidney, &c., disease of	14	3	17	Total suicides	23	5	28
Laryngitis		1	1	III. Homicide	1		1
Liver, disease of	32	31	63	IV. Murder	3	2	5
Lungs, disease of	33	31	64	Total violent deaths	192	74	266
Malformation	3		3	Grand totals	3,168	2,971	6,139
Marasmus	15	9	24				
Measles	48	37	85				
Mortification	6	2	8				
Neuralgia	6	7	13				
Old age	183	211	394				
Paralysis	57	55	112				
Paramenitis		1	1				

MORTALITY OF THE UNITED STATES.

11

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

NEW YORK.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess	67	51	118	Paramenia		4	4
Anæmia	8	2	10	Parotitis	15	6	21
Aneurism	7	4	11	Pericarditis	5	3	8
Angina pectoris		1	1	Peritonitis	10	9	19
Apoplexy	307	198	505	Pleurisy	76	51	127
Asthma	49	36	85	Pneumonia	1,242	845	2,087
Bowels, disease of	55	62	117	Puerperal fever		53	53
Brain, &c., disease of	563	389	952	Purpura and scurvy	4		4
Bronchitis	99	74	173	Quinsy	9	13	22
Cancer	216	306	523	Rheumatism	144	85	229
Carbuncle	8	2	10	Scarlatina	2,350	2,330	4,680
Cephalitis	524	424	948	Scrofula	116	100	216
Child-birth		426	426	Skin, disease of	9	6	15
Cholera	88	74	162	Small-pox	171	132	303
Cholera infantum	370	325	695	Spine, disease of	84	44	128
Chorea	3	6	9	Splenitis	4	2	6
Consumption	4,014	4,185	8,199	Still-born	85	70	155
Convulsions	835	730	1,565	Stomach, disease of	24	12	36
Croup	972	825	1,797	Stone	62	4	86
Cyanosis	1	4	5	Sudden death	38	33	71
Cystitis	18	5	23	Syphilis	16	12	28
Debility	179	178	357	Teething	263	230	493
Delirium tremens	91	13	104	Tetanus	52	39	91
Diabetes	64	19	83	Throat, disease of	222	225	447
Diarrhea	411	375	786	Thrush	22	28	50
Diphtheria	150	187	337	Tumor	50	61	111
Dropsy	630	741	1,371	Ulcer	12	10	22
Dysentery	560	471	1,031	Unknown	1,465	1,069	2,534
Dyspepsia	50	26	76	Uterus, &c., disease of		8	8
Enteritis	485	419	904	Whooping cough	312	396	708
Epilepsy	49	36	85	Worms	39	43	82
Erysipelas	198	165	363	Yellow fever	2	1	3
Fever, intermittent	48	39	87	Aggregates	23,616	21,368	44,984
Fever, remittent	329	296	555				
Fever, typhoid	592	429	1,021				
Fistula	1		1				
Gastritis	46	46	92				
Gout	3	1	4				
Heart, &c., disease of	732	575	1,307	VIOLENT DEATHS.			
Heat	30	7	37	I. Accidental:			
Hemorrhage	111	59	170	Accident not specified	467	72	539
Hepatitis	15	11	26	Burns and scalds	155	185	340
Hernia	22	13	35	Drowning	352	41	393
Hydrocephalus	591	479	1,070	Fall	166	37	203
Hydrophobia	4		4	Fire-arms	40	2	42
Illeus	1	1	2	Freezing	11	1	12
Infantile	303	219	522	Lighting	7	1	8
Inflammation	148	141	289	Neglect and exposure	15	7	22
Influenza	24	21	45	Poison	34	31	65
Insanity	37	26	63	Railroad	95	12	107
Intemperance	88	14	102	Strangulation	16	6	22
Ischuria	6		6	Suffocation	21	12	33
Jaundice	41	43	84	Total accidents	1,379	407	1,786
Joints, &c., disease of	14	12	26				
Kidney, &c., disease of	130	40	170				
Laryngitis	3	1	4	II. Suicide:			
Liver, disease of	194	144	338	Cutting throat	9	1	10
Lungs, disease of	431	324	755	Drowning	2	5	7
Malformation	4	4	8	Fire-arms	8	1	9
Marasmus	178	192	370	Hanging	36	7	43
Measles	379	367	746	Poison	10	10	20
Mortification	32	14	46	Suicide not specified	31	11	42
Necrosis	7		7	Total suicides	96	35	131
Neuralgia	42	67	109				
Old age	687	857	1,544	III. Homicide	20	3	23
Ovarian dropsey		2	2	IV. Murder	14		14
Paralysis	349	311	660	V. Executed	3		3
				Total violent deaths	1,512	445	1,957
				Grand totals	25,128	21,813	46,941

MORTALITY OF THE UNITED STATES.

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

MICHIGAN.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess	6	6	12	Pleurisy	15	6	21
Apoplexy	24	21	45	Pneumonia	320	246	566
Asthma	6	4	10	Puerperal fever		17	17
Bowels, disease of	12	12	24	Quinsy	6	3	9
Brain, &c., disease of	105	81	186	Rheumatism	11	12	23
Bronchitis	8	6	14	Scarlatina	336	321	657
Cancer	29	30	59	Serofula	28	12	40
Cephalitis	116	77	193	Skin, disease of	2	2	4
Child-birth		97	97	Small-pox	6	2	8
Cholera	15	5	20	Spine, disease of	12	12	24
Cholera infantum	17	15	32	Splenitis	1	3	4
Chorea		1	1	Still-born	5	5	10
Consumption	553	634	1,187	Stomach, disease of	2	4	6
Convulsions	133	111	244	Stone	13		13
Croup	140	111	251	Sudden death	4	8	12
Cystitis	8	1	9	Syphilis	3		3
Debility	11	15	26	Teething	23	29	51
Delirium tremens	5		5	Tetanus	5	5	10
Diabetes	5	1	6	Throat, disease of	16	19	35
Diarrhoea	61	47	108	Thrush	9	18	27
Diphtheria	2		2	Tumor	5	7	12
Dropsey	98	130	228	Ulcer	2	4	6
Dysentery	114	117	231	Unknown	237	218	455
Dyspepsia	10	4	14	Uterus, &c., disease of		1	1
Enteritis	75	66	141	Whooping cough	52	66	118
Epilepsy	8	4	12	Worms	12	10	22
Erysipelas	37	35	72	Aggregates	3,585	3,375	6,960
Fever, intermittent	50	43	93				
Fever, remittent	112	104	216				
Fever, typhoid	164	163	327				
Gastritis	8	5	13				
Heart, &c., disease of	59	58	117				
Heat	4		4				
Hemorrhage	12	10	22	I. Accidental:			
Hepatitis	1	1	2	Accident not specified	96	12	108
Hernia	8	1	9	Burns and scalds	32	46	78
Hydrocephalus	55	39	94	Drowning	84	18	102
Ileus	1	1	2	Fall	26	11	37
Infantile	34	24	58	Fire-arms	20	2	22
Inflammation	35	23	58	Freezing	12		12
Influenza	1	1	2	Lightning	2	2	4
Insanity	4		4	Neglect and exposure	2		2
Intemperance	19	1	20	Poison	9	3	12
Jaundice	13	5	18	Railroad	11		11
Joints, &c., disease of	1	1	2	Strangulation	4	2	6
Kidney, &c., disease of	11	6	17	Suffocation	2		2
Laryngitis	1	1	2	Total accidents	300	96	396
Liver, disease of	36	30	66				
Lungs, disease of	68	22	90				
Malformation	2	1	3	II. Suicide:			
Marasmus		3	3	Cutting throat		2	2
Measles	20	33	53	Fire-arms	2		2
Mortification	7	2	9	Hanging	14	2	16
Necrosis	3		3	Poison	5	1	6
Neuralgia	10	3	13	Suicide not specified	8	2	10
Old age	87	104	191	Total suicides	29	7	36
Paralysis	34	24	58				
Paramenia		3	3				
Parotitis	2		2	III. Homicide	5		5
Pericarditis	1		1	IV. Murder	2	2	4
Peritonitis		2	2	Total violent deaths	336	105	441
				Grand totals	3,921	3,480	7,401

MORTALITY OF THE UNITED STATES.

13

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

WISCONSIN.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess	3	3	6	Pericarditis		1	1
Apoplexy	41	29	70	Peritonitis	1		1
Asthma.....	9	5	14	Pleurisy	10	5	15
Bowels, disease of.....	10	4	14	Pneumonia	244	186	430
Brain, &c., disease of.....	30	27	57	Puerperal fever.....		14	14
Bronchitis	6	5	11	Quinsy	5	3	8
Cancer	28	24	52	Rheumatism	27	14	41
Carbuncle	1		1	Scarlatina	480	417	897
Cephalitis	93	73	166	Scarfola	20	15	35
Child-birth		131	131	Skin, disease of	6	1	7
Cholera	4	5	9	Small-pox	8	7	15
Cholera infantum	19	16	35	Spine, disease of	13	3	16
Cold water	1		1	Still-born	15	6	21
Consumption	417	493	910	Stomach, disease of	3	2	5
Convulsions	171	148	319	Stone	11	2	13
Croup	136	123	259	Sudden death	5	6	11
Cyanosis	1		1	Teething	50	39	89
Cystitis	2		2	Tetanus	25	32	57
Debility	30	21	51	Throat, disease of	20	27	47
Delirium tremens	7		7	Thrush	7	11	18
Diabetes	6	4	10	Tumor	2	3	5
Diarrhea	78	53	131	Ulcer	3	6	9
Diphtheria	1	1	2	Unknown	327	237	564
Dropsy	80	82	162	Uterus, &c., disease of		3	3
Dysentery	139	103	242	Whooping cough	63	49	112
Dyspepsia	8	1	9	Worms	13	6	19
Enteritis	88	45	133	Aggregates			6,731
Epilepsy	9	13	22				
Erysipelas	33	25	58	VIOLENT DEATHS.			
Fever, intermittent	25	14	39	I. Accidental:			
Fever, remittent	86	97	183	Accident not specified	76	10	86
Fever, typhoid	152	110	262	Burns and scalds	41	41	82
Fistula	1		1	Drowning	89	11	100
Gastritis	9	7	16	Fall	25	1	26
Gout	1	1	2	Fire-arms	9	1	10
Heart, &c., disease of	39	32	71	Freezing	6	1	7
Heat	8		8	Lightning	3	3	5
Hemorrhago	12	8	20	Poison	21	14	35
Hepatitis	4	3	7	Railroad	28		28
Hernia	6	3	9	Strangulation	3	1	4
Hydrocephalus	38	29	67	Suffocation	2	3	5
Hydrophobia	1	1	2	Total accidents	303	85	388
Infantile	81	65	146				
Inflammation	22	12	34	II. Suicide:			
Influenza	3	5	8	Cutting throat	1		1
Insanity	5	4	9	Drowning		2	2
Intemperance	10		10	Fire-arms	1		1
Jaundice	3	7	10	Hanging	6	1	7
Kidney, &c., disease of	5	2	7	Poison	1		1
Liver, disease of	41	36	77	Suicide not specified	5	1	6
Lungs, disease of	52	37	89	Total suicides	14	4	18
Malformation	1	2	3				
Marasmus	2	2	4	III. Homicide	2		2
Measles	29	26	55	IV. Murder	1	1	2
Mortification	7	3	10	Total violent deaths	320	90	410
Necrosis		1	1	Grand totals	3,893	3,248	7,141
Neuralgia	14	17	31				
Old age	83	80	163				
Paralysis	22	23	45				
Paramenia		2	2				
Parotitis	2		2				

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

MINNESOTA.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess.....		1	1	Rheumatism.....	2	2	4
Apopley.....	3	4	7	Scarlatina.....	38	18	56
Bowels, disease of.....	2	5	7	Serofula.....	4	7	11
Brain, &c., disease of.....	15	8	23	Spine, disease of.....	2		2
Bronchitis.....	1		1	Splenitis.....	1		1
Cancer.....	1	6	7	Stomach, disease of.....		1	1
Carbuncle.....		1	1	Stone.....		1	1
Cephalitis.....	17	24	41	Teething.....	7	1	8
Child-birth.....		33	33	Tetanus.....	7	1	8
Cholera.....	3	1	4	Thrush.....	3	1	4
Cholera infantum.....	22	24	46	Tumor.....	1		1
Consumption.....	67	84	151	Ulcer.....	3		3
Convulsions.....	24	14	38	Unknown.....	66	53	119
Croup.....	27	18	45	Whooping cough.....	13	15	28
Cystitis.....		1	1	Worms.....	3	1	4
Debility.....	3	5	8	Aggregates.....			1,009
Delirium tremens.....	1		1	VIOLENT DEATHS.			
Diarrhoea.....	6	5	11	I. Accidental:			
Dropsey.....	12	15	27	Accident not specified.....	16	1	17
Dysentery.....	9	8	17	Burns and scalds.....	8	10	18
Dyspepsia.....	1		1	Drowning.....	32	9	41
Enteritis.....	6	6	12	Fall.....	1		1
Erysipelas.....	4	3	7	Fire-arms.....	2	1	3
Fever, intermittent.....	5	3	8	Frosting.....	2		2
Fever, remittent.....	19	19	38	Lightning.....	1	1	2
Fever, typhoid.....	24	13	37	Poison.....	2	1	3
Gastritis.....	2		2	Strangulation.....		1	1
Gout.....		1	1	Suffocation.....	1		1
Heart, &c., disease of.....	4	7	11	Total accidents.....			89
Heat.....	2		2	II. Suicide:			
Hemorrhage.....	2	4	6	Hanging.....	3		3
Hepatitis.....	1		1	Suicide not specified.....	1		1
Hernia.....	1	1	2	Total suicides.....			4
Hydrocephalus.....	5	3	8	III. Homicide.....			
Infantile.....	5	2	7	IV. Murder.....			
Inflammation.....	2	3	5	V. Executed.....			
Insanity.....		1	1	Total violent deaths.....			100
Intemperance.....	3		3	Grand totals.....			
Jaundice.....		1	1	594			515
Kidney, &c., disease of.....	1		1	1,109			
Liver, disease of.....	6	9	15				
Lungs, disease of.....	11	2	13				
Malformation.....		1	1				
Marasmus.....		2	2				
Measles.....		3	3				
Neuralgia.....	2	1	3				
Old age.....	6	12	18				
Paralysis.....	2	5	7				
Parotitis.....	1		1				
Pneumonia.....	42	25	67				
Puerperal fever.....		3	3				
Quinsy.....		1	1				

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

NEBRASKA.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess	1	1	Mortification.....	1	1
Apoplexy	3	3	Neuralgia	1	1
Asthma	1	1	Old age	2	1	3
Brain, &c., disease of	2	2	4	Paralysis	2	2
Bronchitis	1	1	Pneumonia	20	13	33
Cancer	1	2	3	Puerperal fever	2	2
Cephalitis	8	13	21	Scarlatina	3	7	10
Child-birth	3	3	Serofula	1	1	2
Cholera infantum	2	2	Small-pox	1	1
Consumption	13	15	28	Skin, disease of	1	1	2
Convulsions	9	5	14	Teething	2	2
Croup	2	1	3	Throat, disease of	1	1
Debility	1	1	Thrush	2	1	3
Delirium tremens	1	1	Unknown	23	18	41
Diarrhea	3	2	5	Whooping cough	9	12	21
Diphtheria	1	2	3	Worms	1	1
Dropsey	4	3	7	Aggregates	180	170	350
Dysentery	6	6	12				
Dyspepsia	1	1				
Enteritis	5	3	8				
Erysipelas	1	2	3				
Fever, intermittent	12	15	27	I. Accidental :			
Fever, remittent	13	8	21	Accident not specified	5	5
Fever, typhoid	10	8	18	Burns and scalds	1	3	4
Gastritis	1	1	Drowning	2	3	5
Heart, &c., disease of	1	1	2	Fall	1	1
Heat	1	1	Fire-arms	6	1	7
Hemorrhage	1	1	2	Freezing	1	1
Hydrocephalus	1	1	2	Lightning	1	1
Infantile	9	6	15	Neglect and exposure	1	1
Inflammation	1	1	Poison	3	1	4
Influenza	1	1	Total accidents	19	10	29
Intemperance	1	1				
Jaundice	1	1	III. Homicide	2	2
Liver, disease of	1	1	Total violent deaths	21	10	31
Lungs, disease of	2	2	Grand totals	201	180	381
Measles	1	2	3				

MORTALITY OF THE UNITED STATES.

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

NEW JERSEY.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess	11	9	20	Pneumonia	159	120	279
Anæmia	1	1	2	Puerperal fever	17	17	17
Aneurism		1	1	Purpura and scurvy	1		1
Apoplexy	57	35	92	Quinsy	3	3	6
Asthma	8	7	15	Rheumatism	20	15	35
Bowels, disease of	7	5	12	Scarlatina	365	329	694
Brain, &c., disease of	91	39	130	Scorfula	19	21	40
Bronchitis	60	39	99	Skin, disease of	2	1	3
Cancer	36	39	75	Small-pox	7	1	8
Carbuncle	2		2	Spine, disease of	16	7	23
Cephalitis	100	100	200	Still-born	7	2	9
Child-birth		87	87	Stomach, disease of		1	1
Cholera	16	8	24	Stone	9	1	10
Cholera infantum	77	56	133	Sudden death	11	12	23
Chorea		1	1	Syphilis	1		1
Consumption	667	693	1,350	Teething	42	41	83
Convulsions	148	108	256	Tetanus	14	3	17
Croup	158	160	318	Throat, disease of	49	51	100
Cystitis	1		1	Thrush	4	4	8
Debility	37	30	67	Tumor	12	12	24
Delirium tremens	9		9	Ulcer	5	3	8
Diabetes	6	2	8	Unknown	205	168	373
Diarrœa	67	57	124	Uterus, &c., disease of		1	1
Diphtheria	8	8	16	Whooping cough	84	88	172
Dropsey	131	129	260	Worms	4	3	7
Dysentery	64	75	139	Aggregates			3,768
Dyspepsia	7	8	15				3,415
Enteritis	95	69	164				7,183
Epilepsy	10	4	14	VIOLENT DEATHS.			
Erysipelas	31	25	56	I. Accidental :			
Fever, intermittent	18	10	28	Accident not specified	63	7	70
Fever, remittent	75	52	127	Burns and scalds	34	40	74
Fever, typhoid	90	69	159	Drowning	71	8	79
Gastritis	1	2	3	Fall	23	5	27
Gout	2		2	Fire arms	4	1	5
Heart, &c., disease of	106	84	190	Freezing	3		3
Heat	2		2	Lightning	1		1
Hemorrhage	17	12	29	Neglect and exposure	1		1
Hepatitis	4	3	7	Poison	5	3	8
Hernia	9	4	13	Railroad	24	6	30
Hydrocephalus	53	49	102	Strangulation	1	3	4
Hydrophobia	3	1	4	Suffocation	3	6	9
Infantile	49	39	88	Total accidents	232	79	311
Inflammation	18	17	35	II. Suicide :			
Influenza		1	1	Cutting throat		2	2
Insanity	3	3	6	Drowning	1		1
Intemperance	20	2	22	Fire-arms	2		2
Ischuria	2		2	Hanging	8	1	9
Jaundice	6	9	15	Poison	1	2	3
Joints, &c., disease of	3	4	7	Suicide not specified	5	2	7
Kidney, &c., disease of	13	5	18	Total suicides	17	7	24
Liver, disease of	21	25	46	III. Homicide			
Lungs, disease of	39	26	65	Murder	2		2
Marasmus	24	14	38	IV. Executed	3		3
Measles	30	46	76	V. Executed	2		2
Mortification	4	2	6	Total violent deaths	256	86	342
Necrosis	1	2	3	Grand totals			
Neuralgia	4	5	9	Grand totals	4,024	3,501	7,525
Old age	114	158	272				
Paralysis	75	67	142				
Pleurisy	18	15	33				

MORTALITY OF THE UNITED STATES.

17

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

PENNSYLVANIA.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess	27	15	42	Paramenia		3	3
Anæmia	1	1	2	Parotitis		3	4
Aneurism	2		2	Pericarditis		3	6
Apoplexy	235	176	411	Peritonitis		1	6
Asthma	44	32	76	Phlebitis		1	2
Bowels, disease of	38	25	63	Pleurisy	72	49	121
Brain, &c., disease of	242	164	406	Pneumonia	626	494	1,120
Bronchitis	169	142	311	Puerperal fever		53	53
Cancer	99	206	305	Purpura and scurvy		4	7
Carbuncle	9	6	15	Quinsy		15	25
Cephalitis	439	334	773	Rheumatism		85	151
Child-birth		323	323	Scarlatina	1,505	1,561	3,156
Cholera	30	34	64	Scrofula		84	158
Cholera infantum	194	184	378	Skin, disease of		19	36
Chorea		4	4	Small-pox		41	87
Consumption	2,567	2,444	5,011	Spine, disease of		56	104
Convulsions	537	457	994	Still-born		59	103
Croup	743	583	1,326	Stomach, disease of		18	29
Cyanosis	1	4	5	Stone		60	63
Cystitis	11	2	13	Sudden death		44	65
Debility	173	152	325	Syphilis		8	11
Delirium tremens	56	10	66	Toothing		74	144
Diabetes	17	4	21	Tetanus		40	63
Diarrœa	217	178	395	Throat, disease of		107	257
Diphtheria	117	128	245	Thrush		14	27
Dropsey	517	533	1,050	Tumor		26	57
Dysentery	390	332	722	Ulcer		11	24
Dyspepsia	52	36	88	Unknown		982	1,815
Enteritis	317	200	517	Uterus, &c., disease of		3	3
Epilepsy	27	24	51	Whooping cough		224	477
Erysipelas	134	116	250	Worms		19	38
Fever, intermittent	40	33	73	Aggregates			15,154
Fever, remittent	280	235	515	13,716			28,870
Fever, typhoid	765	579	1,344				
Fistula	3		3				
Gastritis	37	24	61				
Gout	5		5				
Heart, &c., disease of	322	327	649				
Heat	19		19				
Hemorrhage	67	58	125				
Hepatitis	14	11	25				
Hernia	22	6	28				
Hydrocephalus	172	129	301				
Hydrophobia	3		3				
Infaustile	256	184	440				
Inflammation	68	57	125				
Influenza	3	11	14				
Insanity	32	21	53				
Intemperance	54	3	57				
Ischuria	3		3				
Jaundice	32	28	60				
Joints, &c., disease of	8	2	10				
Kidney, &c., disease of	52	12	64				
Laryngitis	5	1	6				
Liver, disease of	120	99	219				
Lungs, disease of	151	115	266				
Malformation	6	4	10				
Marsnsmus	64	64	128				
Measles	96	121	217				
Mortification	21	12	33				
Necrosis	11	4	15				
Neuralgia	50	34	84				
Old age	398	500	898				
Ovarian dropsey		1	1				
Paralysis	279	268	547				

VIOLENT DEATHS.			
I. Accidental :			
Accident not specified	342	34	376
Burns and scalds	149	125	274
Drowning	225	45	270
Fall	101	14	115
Fire-arms	33		33
Freezing	7		7
Lightning	5	3	8
Neglect and exposure	6	5	11
Poison	22	8	30
Railroad	96	8	104
Strangulation	9	11	20
Suffocation	7	5	12
Total accidents	1,002	258	1,260
II. Suicide :			
Cutting throat	7	3	10
Drowning	4	1	5
Fire-arms	5		5
Hanging	26	7	33
Poison	11	4	15
Suicide not specified	15	1	16
Total suicides	68	16	84
III. Homicide			
	17		17
IV. Murder			
	8	2	10
Total violent deaths	1,095	276	1,371
Grand totals	16,249	13,992	30,241

MORTALITY OF THE UNITED STATES.

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

OHIO.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess.....	24	12	36	Paramenia		13	13
Anæmia.....		1	1	Parotitis.....	1	2	3
Aneurism.....	2		2	Pericarditis.....	7	5	12
Apoplexy.....	99	77	176	Peritonitis.....	7	5	12
Asthma.....	22	27	49	Phlebitis.....		1	1
Bowels, disease of.....	31	13	44	Pleurisy.....	28	16	44
Brain, &c., disease of.....	195	137	332	Pneumonia.....	717	594	1,311
Bronchitis.....	48	48	96	Puerperal fever.....		71	71
Cancer.....	98	131	229	Purpura and scurvy.....	7	1	8
Carbuncle.....	3	1	4	Quinsy.....	14	15	29
Cephalitis.....	434	341	775	Rheumatism.....	55	59	114
Child-birth.....		228	228	Scarlatina.....	1,636	1,781	3,417
Cholera.....	34	33	67	Serofula.....	84	94	178
Cholera infantum.....	143	117	260	Skin, disease of.....	24	10	34
Chorea.....	3	2	5	Small-pox.....	59	76	135
Cold water.....	1		1	Spine, disease of.....	47	30	77
Consumption.....	1,669	1,826	3,495	Splenitis.....	3	2	5
Convulsions.....	388	279	667	Still-born.....	58	55	113
Croup.....	476	401	877	Stomach, disease of.....	14	14	28
Cyanosis.....	1	1	2	Stone.....	51	3	54
Cystitis.....	14		14	Sudden death.....	32	21	53
Debility.....	35	47	82	Syphilis.....	5	3	8
Delirium tremens.....	26	2	28	Teething.....	69	67	136
Diabetes.....	24	10	34	Tetanus.....	32	17	49
Diarrœa.....	237	241	478	Throat, disease of.....	236	246	482
Diphtheria.....	27	27	54	Thrush.....	15	11	26
Dropsey.....	309	348	657	Tumor.....	19	15	34
Dysentery.....	303	237	530	Ulcer.....	8	5	13
Dyspepsia.....	43	29	72	Unknown.....	959	824	1,783
Ecteritis.....	268	190	458	Uterus, &c., disease of.....		6	6
Epilepsy.....	17	19	36	Whooping cough.....	169	239	408
Erysipelas.....	109	89	198	Worms.....	13	26	39
Fever, intermittent.....	110	89	199	Yellow fever.....	3	1	4
Fever, remittent.....	219	104	413	Aggregates.....	12,136	11,576	23,712
Fever, typhoid.....	553	485	1,038				
Fistula.....	1		1				
Gastritis.....	20	38	58				
Gout.....	1		1				
Heart, &c., disease of.....	202	185	387				
Head.....	37	4	41				
Hemorrhage.....	46	37	83				
Hepatitis.....	9	4	13				
Hernia.....	15	6	21				
Hydrocephalus.....	103	71	174				
Ileus.....	1	1	2				
Infantile.....	159	143	302				
Inflammation.....	33	29	62				
Influenza.....	10	5	15				
Insanity.....	10	9	19				
Intemperance.....	31	5	36				
Ischuria.....		1	1				
Jaundice.....	36	25	61				
Joints, &c., disease of.....	3	2	5				
Kidney, &c., disease of.....	40	8	48				
Laryngitis.....	3	2	5				
Liver, disease of.....	88	68	156				
Lungs, disease of.....	143	113	256				
Malformation.....	3	3	6				
Marasmus.....	12	6	18				
Measles.....	216	232	448				
Mortification.....	7	4	11				
Necrosis.....	14	6	20				
Neuralgia.....	26	37	63				
Old age.....	374	356	730				
Ovarian dropsey.....		1	1				
Paralysis.....	156	175	331				

VIOLENT DEATHS.

I. Accidental:

Accident not specified.....	216	39	255
Burns and scalds.....	105	121	226
Drowning.....	140	28	168
Fall.....	81	23	104
Fire-arms.....	38	1	39
Freezing.....	4		4
Lightning.....	7	1	8
Neglect and exposure.....	6	3	9
Poison.....	23	22	45
Railroad.....	53	1	54
Strangulation.....	9	7	16
Suffocation.....	6	2	8
Total accidents.....	638	248	936

II. Suicide:

Cutting throat.....	3	1	4
Drowning.....	4		4
Fire-arms.....	3	1	4
Hanging.....	9	3	12
Poison.....	4	1	5
Suicide not specified.....	15	2	17
Total suicides.....	38	8	46

III. Homicide.....

18	3	21
10	1	11

IV. Murder.....

754	260	1,014
-----	-----	-------

Total violent deaths.....

12,890	11,836	24,726
--------	--------	--------

Grand totals.....

MORTALITY OF THE UNITED STATES.

19

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

INDIANA.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess	6	2	8	Pericarditis		1	1
Anæmia	1	1	2	Peritonitis	2	1	3
Aneurism	1		1	Phlebitis		1	1
Apoplexy	42	31	73	Pleurisy	10	15	25
Asthma	10	6	16	Pneumonia	694	465	1,159
Bowel, disease of	23	12	35	Prostate, disease of	1		1
Brain, &c., disease of	118	110	228	Puerperal fever		52	52
Bronchitis	39	30	69	Purpura and scurvy		1	1
Cancer	31	56	87	Quinsy	20	23	43
Carbuncle	6	2	8	Rheumatism	40	30	70
Cephalitis	345	297	642	Scarlatina	679	758	1,437
Child-birth		151	151	Scofula	90	63	153
Cholera	24	11	35	Skin, disease of	28	18	46
Cholera infantum	81	75	156	Small-pox	6		6
Chorea	2	2	4	Spine, disease of	21	30	51
Consumption	849	956	1,805	Splenitis	4	2	6
Convulsions	165	139	304	Still-born	25	21	46
Croup	401	378	779	Stomach, disease of	4	5	9
Cynosis	1	1	2	Stone	24	2	26
Cystitis	3	1	4	Sudden death	13	6	19
Debility	21	21	42	Syphilis	3	1	4
Delirium tremens	15		15	Teething	29	29	58
Diabetes	12	2	14	Tetanus	10	9	19
Diarrœa	153	127	280	Throat, disease of	117	169	286
Diphtheria	21	31	52	Thrush	23	25	48
Dropsey	177	169	346	Tumor	8	8	16
Dysentery	293	291	584	Ulcer	7	4	11
Dyspepsia	25	13	38	Unknown	650	649	1,299
Enteritis	161	98	259	Uterus, &c., disease of		3	3
Epilepsy	12	8	20	Whooping cough	139	184	323
Erysipelas	77	74	151	Worms	25	22	47
Fever, intermittent	185	180	365	Aggregates			14,722
Fever, reittent	221	215	436				
Fever, typhoid	491	472	963				
Fistula	1		1				
Gastritis	17	34	51				
Gout	1		1				
Heart, &c., disease of	61	76	137				
Heat	10	1	11				
Hemorrhage	16	23	39				
Hepatitis	5	5	10				
Hernia	9	4	13				
Hydrocephalus	32	28	60				
Ileus	2		2				
Infantile	102	93	194				
Inflammation	15	12	27				
Influenza	4	4	8				
Insanity	4	2	6				
Intemperance	26		26				
Jaundice	17	13	30				
Joints, &c., disease of	3	1	3				
Kidney, &c., disease of	19	3	22				
Laryngitis	3		3				
Liver, disease of	59	46	105				
Lungs, disease of	43	33	76				
Malformation		2	2				
Marasmus	2	4	6				
Mensles	92	104	196				
Mortification	4	2	6				
Necrosis	7	4	11				
Neuralgia	21	31	52				
Old age	115	128	243				
Paralysis	61	70	131				
Paramenia		2	2				
Pavotitis	2	2	5				

VIOLENT DEATHS.

I. Accidental:	Accident not specified	129	24	153
	Burns and scalds	64	87	151
	Drowning	74	10	84
	Fall	23	14	37
	Fire-arms	11	3	14
	Frosting	2		2
	Lightning	1	3	4
	Neglect and exposure	1		1
	Poison	37	27	64
	Railroad	27	2	29
	Strangulation	10	4	14
	Suffocation	4	6	10
	Total accidents	383	180	563
II. Suicide:	Cutting throat	1		1
	Fire-arms	4		4
	Hanging	6	1	7
	Poison	3		3
	Suicide not specified	7	3	10
	Total suicides	21	4	25
III. Homicide		8		8
IV. Murder		7	1	8
	Total violent deaths	419	185	604
	Grand totals	7,855	7,471	15,326

MORTALITY OF THE UNITED STATES.

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

ILLINOIS.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Absecess.....	14	4	18	Pericarditis.....	4	3	7
Anæmia.....		1	1	Peritonitis.....	4	5	9
Ancurism.....	2		2	Phlebitis.....		1	1
Angina pectoris.....	1		1	Pleurisy.....	23	23	46
Apoplexy.....	54	35	89	Pneumonia.....	773	585	1,357
Asthma.....	9	10	19	Puerperal fever.....		53	53
Bowels, disease of.....	15	11	26	Purpura and scurvy.....	1		1
Brain, &c., disease of.....	162	126	288	Quinsy.....	19	16	35
Bronchitis.....	42	33	75	Rheumatism.....	56	22	78
Cancer.....	50	68	118	Scarlatina.....	255	843	1,698
Cephalitis.....	380	331	701	Scrofula.....	68	60	128
Child-birth.....		223	223	Skin, disease of.....	42	38	80
Cholera.....	52	18	70	Small-pox.....	4	4	8
Cholera infantum.....	167	148	315	Spine, disease of.....	27	26	53
Chorea.....	2	3	5	Splenitis.....	6	1	7
Consumption.....	986	962	1,948	Still-born.....	59	36	95
Convulsions.....	221	154	375	Stomach, disease of.....	3	8	11
Croup.....	622	536	1,158	Stone.....	23	2	25
Cyanosis.....		1	1	Sudden death.....	9	10	19
Cystitis.....	6		6	Syphilis.....	4	1	5
Debility.....	32	39	71	Teething.....	96	102	198
Delirium tremens.....	27	3	30	Tetanus.....	29	28	57
Diabetes.....	12	5	17	Throat, disease of.....	80	86	166
Diarrhea.....	313	294	607	Thrush.....	35	39	74
Diphtheria.....	22	19	41	Tumor.....	11	14	25
Dropsey.....	209	203	412	Ulcer.....	14	9	23
Dysentery.....	457	388	845	Unknown.....	843	723	1,566
Dyspepsia.....	24	7	31	Uterus, &c., disease of.....		3	3
Enteritis.....	180	149	329	Whooping cough.....	183	199	382
Epilepsy.....	14	7	21	Worms.....	18	26	44
Erysipelas.....	85	96	181	Yellow fever.....	1		1
Fever, intermittent.....	259	205	464	Aggregates.....	9,773	8,745	18,518
Fever, remittent.....	361	321	682				
Fever, typhoid.....	654	529	1,183				
Fistula.....	1		1				
Gastritis.....	15	15	30				
Heart, &c., disease of.....	106	86	192	VIOLENT DEATHS.			
Heat.....	20	1	21	I. Accidental:			
Hemorrhage.....	23	16	39	Accident not specified.....	168	23	191
Hepatitis.....	3	7	10	Burns and scalds.....	79	69	148
Hernia.....	9	7	16	Drowning.....	104	17	121
Hydrocephalus.....	104	52	156	Fall.....	42	13	55
Hydrophobia.....	1	3	4	Fire-arms.....	30	3	33
Ileus.....	3		3	Freezing.....	3		3
Infantile.....	189	184	373	Lightning.....	16	2	18
Inflammation.....	38	25	63	Neglect and exposure.....	2	2	4
Influenza.....	9	5	14	Poison.....	34	33	67
Insanity.....	11	6	17	Railroad.....	33	7	40
Intemperance.....	22	2	24	Strangulation.....	11	3	14
Ischuria.....	1		1	Suffocation.....	5	3	8
Jaundice.....	18	15	33	Total accidents.....	527	175	702
Joints, &c., disease of.....	3	1	4				
Kidney, &c., disease of.....	19	6	25				
Laryngitis.....	4	3	7	II. Suicide:			
Liver, disease of.....	81	62	143	Cutting throat.....	2		2
Lungs, disease of.....	79	63	142	Drowning.....		2	2
Malformation.....	2	1	3	Fire-arms.....	8		8
Marasmus.....	4	4	8	Hanging.....	11	3	14
Measles.....	56	53	109	Poison.....	4		4
Mortification.....	2	3	5	Suicide not specified.....	9	5	14
Necrosis.....	2	2	4	Total suicides.....	34	10	44
Neuralgia.....	30	25	55				
Old age.....	124	138	262				
Paralysis.....	64	63	127	III. Homicide.....	12	1	13
Paramenia.....		7	7	IV. Murder.....	22	1	23
Parotitis.....		7	7	Total violent deaths.....	595	187	782
				Grand totals.....	10,368	8,932	19,300

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

IOWA.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess	3	2	5	Pneumonia	343	238	581
Apoplexy	22	20	42	Puerperal fever	17	17
Asthma	3	7	10	Purpura and scurvy	1	1
Bowels, disease of	6	5	11	Quinsy	4	3	7
Brain, &c., disease of	58	59	117	Rheumatism	9	8	17
Bronchitis	17	28	45	Scarlatina	177	160	337
Cancer	18	38	56	Serofula	30	27	57
Carbuncle	1	1	1	Skin, disease of	6	6	12
Cephalitis	173	141	314	Small-pox	5	5
Child-birth	61	61	122	Spine, disease of	7	7	14
Cholera	11	4	15	Still-born	20	12	32
Cholera infantum	50	49	99	Stomach, disease of	2	2
Chorea	1	1	1	Stone	8	8
Consumption	317	431	748	Sudden death	5	2	7
Convulsions	92	70	162	Syphilis	1	1	2
Cramp	235	225	460	Teething	29	18	47
Cystitis	3	2	5	Tetanus	4	2	6
Debility	11	6	17	Throat, disease of	68	58	126
Delirium tremens	6	6	Thrush	17	6	23
Diabetes	5	1	6	Tumor	3	2	5
Diarrhoea	125	99	224	Ulcer	3	5	8
Diphtheria	26	17	43	Unknown	349	291	640
Dropsy	74	90	164	Uterus, &c., disease of	1	1
Dysentery	152	112	264	Whooping cough	84	128	212
Dyspepsia	10	1	11	Worms	6	3	9
Enteritis	75	64	139	Aggregates	3,644	3,298	6,942
Epilepsy	6	8	14	
Erysipelas	41	24	65	
Fever, intermittent	122	108	230	
Fever, remittent	124	111	235	
Fever, typhoid	225	188	413	
Gastritis	8	8	16	VIOLENT DEATHS.			
Heart, &c., disease of	34	37	71	I. Accidental:			
Heat	12	12	Accident not specified	70	9	79
Hemorrhage	9	4	13	Burns and scalds	25	41	66
Hepatitis	3	3	Drowning	47	8	55
Hernia	5	5	10	Fall	15	6	21
Hydrocephalus	29	20	49	Fire-arms	11	2	13
Hydrophobia	1	1	2	Freezing	6	6
Infantile	91	56	147	Lightning	7	1	8
Inflammation	9	9	18	Poison	15	9	24
Influenza	2	3	5	Railroad	2	2
Insanity	3	1	4	Strangulation	7	4	11
Intemperance	6	6	Suffocation	2	2	4
Jaundice	8	8	16	Total accidents	207	83	289
Kidney, &c., disease of	10	2	12	
Laryngitis	1	1	1	
Liver, disease of	32	18	50	II. Suicide:			
Lungs, disease of	56	30	86	Drowning	1	1
Malformation	1	1	Fire-arms	3	3
Marasmus	3	3	Hanging	5	1	6
Measles	20	24	44	Poison	5	1	6
Mortification	1	1	2	Suicide not specified	2	2
Necrosis	4	2	6	Total suicides	14	4	18
Neuralgia	12	12	24	
Old age	64	46	110	
Paralysis	27	22	49	III. Homicide	5	5
Paroxysmia	3	3	IV. Murder	4	4
Parotitis	4	4	V. Executed	1	1
Phlebitis	1	1	Total violent deaths	231	86	317
Pleurisy	7	8	15	Grand totals	3,875	3,394	7,259

MORTALITY OF THE UNITED STATES.

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

KANSAS.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Apoplexy	3	1	4	Purpura and scurvy		1	1
Bowels, disease of.....	3	2	5	Quinsy	1		1
Brain, &c., disease of.....	16	18	34	Rheumatism	7	1	8
Bronchitis	3	1	4	Scarlatina	32	29	61
Cancer	4	5	9	Scofula	7	3	10
Cephalitis	34	27	61	Skin, disease of		2	2
Child-birth		11	11	Small-pox		1	1
Cholera	6	1	7	Spine, disease of		4	4
Cholera infantum	11	8	19	Splenitis		1	1
Consumption	60	57	117	Still-born	4	10	14
Convulsions	10	7	17	Stone	1	1	2
Croup	46	35	81	Sudden death	2	1	3
Cyanosis		1	1	Teething	4	3	7
Debility	3	4	7	Thrush		3	3
Delirium tremens	2		2	Tumor	1		1
Diabetes		1	1	Ulcer	1	2	3
Diarrhoea	26	15	41	Unknown	64	57	121
Diphtheria		1	1	Whooping cough	22	17	39
Dropsey	18	15	33	Aggregates			808
Dysentery	19	24	43	VIOLENT DEATHS.			676
Dyspepsia	3	1	4	I. Accidental:			1,484
Enteritis	18	10	28	Accident not specified	13	2	15
Epilepsy	1	1	2	Burns and scalds	7	11	18
Erysipelas	10	7	17	Drowning	8	1	9
Fever, intermittent	69	79	148	Fall	1	1	2
Fever, remittent	67	46	113	Fire-arms	10	1	11
Fever, typhoid	69	43	112	Lightning	2		2
Gastritis	3	1	4	Poison	3	2	5
Heart, &c., disease of	2	4	6	Total accidents	44	18	62
Hemorrhage		2	2	II. Suicide:			
Hernia	1		1	Hanging	1		1
Hydrocephalus	1	1	2	Poison	1	2	3
Infantile	12	24	36	Suicide not specified	1		1
Inflammation	3	1	4	Total suicides	3	2	5
Influenza		1	1	III. Homicide			
Intemperance	5		5	Murder	8	1	9
Jaundice	2	2	4	Total violent deaths	7		7
Kidney, &c., disease of	1		1	IV. Murder			
Liver, disease of	7	3	10	Grand totals	62	21	83
Lungs, disease of	10	10	20		870	697	1,567
Marasmus	3		3				
Miasis		2	2				
Mortification	1	1	2				
Neuralgia	2		2				
Old age	9	3	12				
Paralysis	3	6	9				
Parotitis	1		1				
Pleurisy	3	2	5				
Pneumonia	92	53	145				
Puerperal fever		3	3				

MORTALITY OF THE UNITED STATES.

23

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

DELAWARE.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess	1	1	2	Peritonitis	2	2
Apoplexy	2	1	3	Pleurisy	3	1	4
Asthma	2	1	3	Pneumonia	21	19	40
Bowels, disease of	2	2	Puerperal fever	2	2
Brain, &c., disease of	4	1	5	Purpura and scurvy	1	1
Bronchitis	5	7	12	Quinsy	1	3	4
Cancer	2	9	11	Rheumatism	6	6	12
Carbuncle	1	1	Scarlatina	36	38	74
Cephalitis	17	18	35	Serofula	2	1	3
Child-birth	17	17	Skin, disease of	1	3	4
Cholera	4	1	5	Small-pox	2	2
Cholera infantum	13	20	33	Spine, disease of	5	1	6
Cold water	1	1	Stone	4	1	5
Consumption	94	107	201	Sudden death	1	1
Convulsions	10	12	22	Teething	2	4	6
Croup	36	23	59	Tetanus	2	2
Cystitis	1	1	Throat, disease of	3	7	10
Debility	6	8	14	Thrush	1	4	5
Delirium tremens	2	2	Tumor	1	2	3
Diarrhoea	8	20	28	Unknown	69	64	133
Diphtheria	1	1	Whooping cough	6	11	17
Dropsy	16	20	36	Worms	3	6	9
Dysentery	23	24	47	Aggregates	575	614	1,189
Dyspepsia	2	3	5				
Enteritis	23	10	33				
Erysipelas	5	1	6				
Fever, intermittent	1	3	4				
Fever, remittent	10	7	17				
Fever, typhoid	22	34	56				
Gastritis	1	3	4	I. Accidental:			
Heart, &c., disease of	8	15	23	Accident not specified	10	2	12
Hemorrhago	2	2	4	Burns and scalds	3	5	8
Hepatitis	1	1	Drowning	15	1	16
Hernia	2	2	Fall	5	2	7
Hydrocephalus	2	2	4	Fire-arms	1	1
Hydrophobia	1	1	Freezing	1	1
Infantile	10	7	17	Poison	1	2	3
Inflammation	1	2	3	Railroad	1	1
Influenza	1	1	Suffocation	1	1
Insanity	4	6	10	Total accidents	37	13	50
Intemperance	10	2	12				
Jaundice	3	3	II. Suicide:			
Joints, &c., disease of	1	1	Hanging	1	1
Kidney, &c., disease of	1	1	Suicide not specified	1	1
Liver, disease of	10	3	13	Total suicides	2	2
Lungs, disease of	2	5	7				
Malformation	1	1	III. Homicide	2	2
Marasmus	3	2	5	IV. Murder	1	1	2
Measles	2	2	4	V. Executed	1	1
Mortification	2	2	Total violent deaths	43	14	57
Old age	6	23	29				
Paralysis	18	10	28	Grand totals	618	628	1,246
Paramenia	1	1				
Parotitis	2	2				
Pericarditis	1	2	3				

MORTALITY OF THE UNITED STATES.

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

MARYLAND.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess	2	7	9	Pleurisy	38	16	54
Anæmia	1	1	Pneumonia	200	117	317
Apoplexy	34	20	54	Puerperal fever	16	16
Asthma	8	8	16	Purpura and scurvy	1	1	2
Bowels, disease of	12	10	22	Quinsy	4	2	6
Brain, &c., disease of	54	42	96	Rheumatism	34	15	49
Bronchitis	21	7	28	Scarlatina	182	159	341
Cancer	21	41	62	Scofula	27	21	48
Curbuncle	1	1	Skin, disease of	2	1	3
Cephalitis	99	89	188	Small-pox	5	2	7
Child-birth	84	84	Spine, disease of	15	13	28
Cholera	13	8	21	Still-born	10	5	15
Cholera infantum	39	42	81	Stomach, disease of	7	5	12
Chorea	1	1	Stone	8	2	10
Consumption	541	656	1,197	Sudden death	22	15	37
Convulsions	79	85	164	Syphilis	1	1
Croup	150	149	299	Teething	61	54	115
Cystitis	2	2	Tetanus	14	1	15
Debility	14	19	33	Throat, disease of	23	18	41
Delirium tremens	4	4	Thrush	12	10	22
Diabetes	2	2	Tumor	7	6	13
Diarrhoea	106	76	182	Ulcer	2	2
Diphtheria	4	10	14	Unknown	512	444	956
Dropsey	129	124	253	Uterus, &c., disease of	1	1
Dysentery	132	109	241	Whooping cough	104	102	206
Dyspepsia	10	15	25	Worms	12	12	24
Enteritis	49	49	98	Yellow fever	14	6	20
Epilepsy	5	3	8	Aggregates	3,617	3,464	7,081
Erysipelas	17	9	26	VIOLENT DEATHS.			
Fever, intermittent	3	6	9	I. Accidental:			
Fever, remittent	64	65	129	Accident not specified	51	10	61
Fever, typhoid	132	123	255	Burns and scalds	29	43	72
Fistula	1	1	Drowning	48	8	56
Gastritis	13	18	31	Fall	14	3	17
Gout	4	4	Fire-arms	10	1	11
Heart, &c., disease of	99	82	181	Freezing	2	2
Heat	5	5	Lightning	5	5
Hemorrhage	15	11	26	Neglect and exposure	2	2
Hepatitis	4	4	Poison	8	2	10
Hernia	2	2	4	Railroad	13	13
Hydrocephalus	34	25	59	Strangulation	5	1	6
Infantile	37	64	101	Suffocation	9	6	15
Inflammation	1	7	8	Total accidents	196	74	270
Influenza	1	1	II. Suicide:			
Insanity	6	1	7	Cutting throat	1	1
Intemperance	23	1	23	Drowning	1	1
Ischuria	1	1	Fire-arms	1	1
Jaundice	4	9	13	Hanging	2	2	4
Kidney, &c., disease of	10	2	12	Suicide not specified	5	2	7
Liver, disease of	27	23	50	Total suicides	10	4	14
Lungs, disease of	25	15	40	III. Homicide	4	4
Marasmus	5	4	9	IV. Murder	4	1	5
Measles	61	59	120	Total violent deaths	214	79	293
Mortification	1	1	Grand totals	3,831	3,543	7,374
Necrosis	3	3				
Neuralgia	3	7	10				
Old age	104	159	263				
Ovarian dropsy	1	1				
Paralysis	66	68	134				
Parotitis	1	1				
Phlebitis	2	2				

MORTALITY OF THE UNITED STATES.

25

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

DISTRICT OF COLUMBIA.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abcess	1	2	3	Paralysis	13	6	19
Apoplexy	6	1	7	Parotitis		1	1
Asthma	2	1	3	Pleurisy	3	2	5
Bowels, disease of	1		1	Pneumonia	33	45	78
Brain, &c., disease of	12	7	19	Puerperal fever		2	2
Bronchitis	2	4	6	Rheumatism	8	2	10
Cancer	6	5	11	Scarlatina	34	27	61
Carbuncle	1		1	Serofula	1	1	2
Cephalitis	17	8	25	Spine, disease of	1	3	4
Child-birth		6	6	Stomach, disease of	1	2	3
Cholera	1	1	2	Stone	1		1
Cholera infantum	15	15	30	Sudden death	3	3	6
Consumption	132	123	255	Syphilis		1	1
Convulsions	30	16	46	Teething	16	10	26
Croup	17	14	31	Tetanus	2	2	4
Cyanosis		1	1	Throat, disease of	1		1
Cystitis	1		1	Thrush	3	2	5
Debility	3	3	6	Tumor	1	1	2
Delirium tremens	2		2	Ulcer		1	1
Diarrhoea	26	19	45	Unknown	68	61	129
Diphtheria	2		2	Whooping cough	18	15	33
Dropsey	13	10	23	Worms	1		1
Dysentery	14	6	20				
Enteritis	11	10	21	Aggregates	665	585	1,250
Epilepsy	1		1				
Erysipelas	4	2	6				
Fever, intermittent	6	5	11				
Fever, remittent	2	4	6				
Fever, typhoid	16	27	43				
Gastritis		3	3	VIOLENT DEATHS.			
Gout	1		1	I. Accidental:			
Heart, &c., disease of	17	15	32	Accident not specified	6		6
Heat	2		2	Burns and scalds	2	3	5
Hemorrhage	10	3	13	Drowning	7		7
Hernia	1	1	2	Fall	3	1	4
Hydrocephalus	13	20	33	Fire-arms	6		6
Infantile	28	29	57	Poison	3	1	4
Inflammation	1	1	2	Suffocation	1		1
Influenza	1		1	Total accidents	28	5	33
Insanity	9	6	15				
Intemperance	4		4	II. Suicide:			
Jaundice	4	3	7	Fire-arms	1		1
Joints, &c., disease of		2	2	Suicide not specified	1		1
Kidney, &c., disease of	2		2	Total suicides	2		2
Liver, disease of	1	3	4				
Lungs, disease of	8	2	10				
Marasmus	2	1	3	Total violent deaths	30	5	35
Measles	2		2				
Mortification		1	1	Grand totals	695	590	1,285
Necrosis		1	1				
Old age	7	17	24				

MORTALITY OF THE UNITED STATES.

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

VIRGINIA.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess	18	7	25	Parotitis.....	8	3	11
Anæmia	2		2	Peritonitis	2	2	4
Aneurism.....		1	1	Phlebitis.....		1	1
Apoplexy.....	80	66	146	Pleurisy.....	60	34	94
Asthma	22	28	50	Pneumonia.....	956	649	1,605
Bowels, disease of.....	62	49	111	Puerperal fever.....		109	109
Brain, &c., disease of.....	148	74	222	Purpura and scurvy.....	5	3	8
Bronchitis	65	68	133	Quinsy	13	14	27
Cancer	66	102	168	Rheumatism.....	78	64	142
Carbuncle	2	1	3	Scarlatina.....	294	307	601
Cephalitis.....	231	183	414	Scrofula.....	172	163	335
Child birth.....		238	238	Skin, disease of.....	44	22	66
Cholera	26	19	45	Small-pox.....	15	9	24
Cholera infantum	97	69	166	Spine, disease of.....	45	26	71
Chorea	1	1	2	Splenitis.....		3	3
Consumption.....	855	1,254	2,109	Still-born.....	79	40	119
Convulsions	292	191	483	Stomach, disease of	4	11	15
Croup	339	279	618	Stone.....	34	6	40
Cyanosis.....		1	1	Sudden death.....	43	38	81
Cystitis	16	4	20	Syphilis.....	1	8	9
Debility	36	33	69	Teething	92	112	204
Delirium tremens	15	1	16	Tetanus	62	32	94
Diabetes	3	5	8	Throat, disease of	106	196	302
Diarrhaea.....	191	177	368	Thrush	38	30	68
Diphtheria	115	155	270	Tumor	6	10	16
Dropsey	504	469	973	Ulcer	10	7	17
Dysentery	388	340	728	Unknown	1,881	1,786	3,667
Dyspepsia	40	33	73	Uterus, &c., disease of		7	7
Enteritis	166	123	289	Whooping cough	412	509	921
Epilepsy	5	9	14	Worms	71	93	164
Erysipelas	48	43	91	Yellow fever	2		2
Fever, intermittent	44	24	68	Aggregates	10,699	10,512	21,211
Fever, remittent	174	155	329	VIOLENT DEATHS.			
Fever, typhoid	565	491	1,056	I. Accidental :			
Fistula	1	1	2	Accident not specified	164	42	206
Gastritis	16	24	40	Burns and scalds	142	231	373
Gout	4	1	5	Drowning	108	20	128
Heart, &c., disease of	129	142	271	Fall	41	22	63
Heat	9	4	13	Fire-arms	33	1	34
Hemorrhage	46	51	97	Freezing	7		7
Hepatitis		1	1	Lightning	11	6	17
Hernia	25	7	32	Neglect and exposure	2	1	3
Hydrocephalus	39	32	71	Poison	35	22	57
Ileus	3	2	5	Railroad	15		15
Infantile	252	257	509	Strangulation	21	5	26
Inflammation	21	12	33	Suffocation	139	122	261
Influenza	9	8	17	Total accidents	718	472	1,190
Insanity	4	8	12	II. Suicide :			
Intemperance	73	6	79	Cutting throat	2		2
Ischuria	7	1	8	Drowning		2	2
Jaundice	24	21	45	Fire-arms	6		6
Joints, &c., disease of	5	1	6	Hanging	5	6	11
Kidney, &c., disease of	29	18	42	Poison	2		2
Laryngitis	2		2	Suicide not specified	5	2	7
Liver, disease of	65	58	123	Total suicides	20	10	30
Lungs, disease of	61	58	119	III. Homicide	9	3	12
Malformation	3	4	7	IV. Murder	19	3	22
Marasmus	13	5	18	V. Executed	7	2	9
Measles	80	60	140	Total violent deaths	773	490	1,263
Mortification	7	7	14	Grand totals	11,472	11,002	22,474
Necrosis	7	4	11				
Neuralgia	14	23	42				
Old age	379	494	873				
Paralysis	163	209	372				
Paramenitis		6	6				

MORTALITY OF THE UNITED STATES.

27

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

NORTH CAROLINA.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess	1	2	3	Pericarditis		1	1
Anæmia		1	1	Peritonitis	1	6	7
Apoplexy	42	45	87	Pleurisy	31	11	42
Asthma	16	13	29	Pneumonia	499	418	917
Bowels, disease of	28	28	56	Puerperal fever		44	44
Brain, &c., disease of	37	43	80	Purpura and scurvy	2		2
Bronchitis	26	23	49	Quinsy	17	19	36
Cancer	28	80	108	Rheumatism	43	31	74
Carbuncle	1		1	Scarlatina	179	184	363
Cephalitis	127	100	227	Scrofula	52	49	101
Child-birth		154	154	Skin, disease of	55	41	96
Cholera	6	8	14	Small-pox	1		1
Cholera infantum	47	39	86	Spine, disease of	14	8	22
Chorea		3	3	Splenitis	2	2	4
Consumption	308	453	761	Still-born	30	25	55
Convulsions	75	54	129	Stomach, disease of	3	1	4
Croup	235	192	427	Stone	33	1	34
Cyanosis	1	1	2	Sudden death	22	23	45
Cystitis	6	3	9	Syphilis	3	4	7
Debility	24	25	49	Teething	52	45	97
Delirium tremens	5		5	Tetanus	18	9	27
Diabetes	4	4	8	Throat, disease of	29	30	59
Diarrœa	239	235	464	Thrush	19	20	39
Diphtheria	11	11	22	Tumor	5	12	17
Dropsey	277	358	635	Ulcer	8	12	20
Dysentery	239	192	431	Unknown	1,033	1,049	2,082
Dyspepsia	21	14	35	Uterus, &c., disease of		15	15
Enteritis	83	83	165	Whooping cough	199	201	400
Epilepsy	2	7	9	Worms	78	66	144
Erysipelas	24	36	60	Yellow fever	2		2
Fever, intermittent	46	70	116	Aggregates	5,869	6,043	11,912
Fever, remittent	162	216	378				
Fever, typhoid	517	492*	1,009	VIOLENT DEATHS.			
Gastritis	20	9	29	I. Accidental:			
Gout	1	1	2	Accident not specified	74	15	89
Heart, &c., disease of	68	47	115	Burns and scalds	80	148	228
Heat	3	1	4	Drowning	51	8	59
Hemorrhage	26	*16	42	Fall	20	7	27
Hepatitis	3	1	4	Fire-arms	15	2	17
Hernia	14	1	15	Freezing	5		5
Hydrocephalus	12	6	18	Lightning	6	2	8
Hydrophobia		1	1	Neglect and exposure	5		5
Ileus	1	1	2	Poison	15	8	23
Infantile	166	134	300	Railroad	2	2	4
Inflammation	14	13	27	Strangulation	10	7	17
Influenza	8	6	14	Suffocation	88	95	183
Insanity	2	6	8	Total accidents	371	294	665
Intemperance	31		31				
Ischuria	3	2	5	II. Suicide :			
Jaundice	20	12	32	Cutting throat	2	1	3
Joints, &c., disease of	1		1	Fire-arms	2		2
Kidney, &c., disease of	16	3	19	Hanging	2	1	3
Laryngitis	8	4	12	Poison	3		3
Liver, disease of	48	41	89	Suicide not specified	3	1	4
Lungs, disease of	15	18	33	Total suicides	12	3	15
Malformation	2	3	5				
Marasmus	15	10	25	III. Homicide	6	1	7
Measles	58	68	126	IV. Murder	15	1	16
Mortification	5	1	6	V. Executed	2		2
Necrosis	5	4	9	Total violent deaths	406	299	705
Neuralgia	14	13	27	Grand totals	6,275	6,342	12,617
Old age	142	228	370				
Paralysis	90	76	166				
Paramenia		5	5				
Parotitis	1		1				

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

KENTUCKY.

TABLE III—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

TENNESSEE.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess	11	3	14	Puerperal fever		99	99
Apoplaxy	40	35	75	Purpura and scurvy	3		3
Asthma	8	11	19	Quinsy	23	11	34
Bowels, disease of	33	19	51	Rheumatism	62	46	108
Brain, &c., disease of	71	62	133	Scarlatina	452	427	879
Bronchitis	37	45	82	Serofula	88	99	187
Cancer	25	62	87	Skin, disease of	97	100	197
Carbuncle	3	4	7	Small-pox	5	5	10
Cephalitis	330	250	580	Spine, disease of	24	17	41
Child-birth	122	122	122	Splenitis	2	1	3
Cholera	16	7	23	Still-born	55	37	92
Cholera infantum	64	60	124	Stomach, disease of	6	10	16
Chorea	2	2	4	Stone	24	6	30
Consumption	593	847	1,440	Sudden death	27	24	51
Convulsions	133	95	228	Syphilis	4	5	9
Croup	480	415	904	Teething	83	72	155
Cystitis	3		3	Tetanus	77	34	111
Dobility	30	17	47	Throat, disease of	38	46	84
Delirium tremens	4	1	5	Thrush	17	14	31
Diabetes	6	1	7	Tumor	7	8	15
Diarrhoea	118	96	214	Ulcer	13	12	25
Diphtheria	2	2	4	Unknown	1,018	996	2,014
Dropsy	224	235	459	Uterus, &c., disease of		20	20
Dysentery	137	158	295	Whooping cough	122	169	291
Dyspepsia	20	18	38	Worms	49	48	97
Enteritis	127	101	228	Yellow fever	1		1
Epilepsy	9	5	14	Aggregates			14,349
Erysipelas	48	40	88				
Fever, intermittent	107	116	223				
Fever, remittent	284	320	604				
Fever, typhoid	482	436	918				
Gastritis	24	33	57				
Heart, &c., disease of	66	45	111				
Heat	8	5	13				
Hemorrhage	30	22	52				
Hepatitis	4	4	8				
Hernia	12	2	14				
Hydrocephalus	20	11	31				
Hydrophobia		1	1				
Ileus	2		2				
Infantile	103	103	206				
Inflammation	18	16	34				
Influenza	6	5	11				
Insanity	8	3	11				
Intemperance	45	1	.46				
Jaundice	9	12	21				
Kidney, &c., disease of	19	7	26				
Laryngitis	1	1	2				
Liver, disease of	46	39	85				
Lungs, disease of	45	47	92				
Mulformation	6	4	10				
Marasmus	3	2	5				
Measles	63	58	121				
Mortification	3	1	4				
Necrosis	6	4	10				
Neuralgia	19	35	54				
Old age	154	199	353				
Paralysis	64	65	129				
Paramenia		11	11				
Parotitis		1	1				
Pleurisy	12	6	18				
Pneumonia	690	475	1,165				
Prostate, disease of	2		2				

VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	112	21	133
Burns and scalds	64	106	170
Drowning	42	14	56
Fall	26	7	33
Fire-arms	33	3	36
Freezing	4	1	5
Lightning	2	1	3
Neglect and exposure	7		7
Poison	29	30	59
Railroad	12		12
Strangulation	8	3	11
Suffocation	110	96	206
Total accidents	449	282	731
II. Suicide:			
Cutting throat	1		1
Drowning	3		3
Fire-arms	8	1	9
Hanging	5		5
Poison	2	2	4
Suicide not specified	6	2	8
Total suicides	25	5	30
III. Homicide			
19			19
IV. Murder			
20	1		21
V. Executed			
5	1		6
Total violent deaths			
518	289		807
Grand totals			
7,758	7,398		15,156

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

MISSOURI.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess	14	8	22	Pericarditis	1		1
Anæmia	1	1	2	Peritonitis		2	2
Apoplexy	50	27	77	Phlebitis		1	1
Asthma	4	3	7	Pleurisy	30	22	52
Bowels, disease of	27	22	49	Pneumonia	831	575	1,406
Brain, &c., disease of	121	92	213	Puerperal fever		76	76
Bronchitis	62	51	113	Purpure and scurvy	4	2	6
Cancer	32	47	79	Quinsy	32	32	64
Carbuncle	4	1	5	Rheumatism	41	28	69
Cephalitis	377	297	674	Scarlatina	440	456	896
Child-birth		162	162	Serofulsa	62	65	127
Cholera	40	21	61	Skin, disease of	72	63	134
Cholera infantum	97	79	176	Small-pox	12	6	18
Cold water	1		1	Spine, disease of	21	23	44
Consumption	650	652	1,302	Splenitis	6	1	7
Convulsions	327	223	550	Still-born	28	19	47
Croup	621	480	1,101	Stomach, disease of	10	6	16
Cystitis	6	3	9	Stone	12		12
Debility	44	51	95	Sudden death	12	5	17
Delirium tremens	29	2	31	Syphilis	1		1
Diabetes	7		7	Teething	111	125	236
Diarrœa	398	309	707	Tetanus	53	25	78
Diphtheria	36	32	68	Throat, disease of	74	78	152
Dropsy	214	192	406	Thrush	24	23	47
Dysentery	257	186	443	Tumor	6	3	9
Dyspepsia	16	4	20	Ulcer	6	15	21
Enteritis	167	139	306	Unknown	1,053	932	1,985
Epilepsy	11	5	16	Uterus, &c., disease of		8	8
Erysipelas	71	61	132	Whooping cough	158	193	351
Fever, intermittent	300	309	609	Worms	41	34	75
Fever, remittent	399	398	797	Yellow fever	5	2	7
Fever, typhoid	603	453	1,056	Aggregates	9,061	7,857	16,918
Fistula	4		4	VIOLENT DEATHS.			
Gastritis	30	26	56	I. Accidental :			
Gout	1		1	Accident not specified	128	23	151
Heart, &c., disease of	80	57	137	Burns and scalds	72	76	148
Heat	20	4	24	Drowning	79	15	94
Hemorrhage	24	16	40	Fall	31	18	49
Hepatitis	7	4	11	Fire-arms	33	5	37
Hernia	8	3	11	Freezing	3		3
Hydrocephalus	27	27	54	Lightning	9	2	11
Hydrophobia	4		4	Neglect and exposure	4		4
Ileus	1		1	Poison	36	21	57
Infantile	129	95	224	Railroad	10	1	11
Inflammation	22	17	39	Strangulation	11	7	18
Influenza	1	3	4	Suffocation	37	38	75
Insanity	17	11	28	Total accidents	452	206	658
Intemperance	28	3	31	II. Suicide :			
Ischuria	1	1	2	Cutting throat	1		1
Jaundice	28	12	40	Drowning	1	1	2
Joints, &c., disease of	2		2	Fire-arms	4		4
Kidney, &c., disease of	25	4	29	Hanging	10	2	12
Laryngitis	5	1	6	Poison	3		3
Liver, disease of	63	35	98	Suicide not specified	5	2	7
Lungs, disease of	66	75	141	Total suicides	24	5	29
Malformation	4	3	7	III. Homicide			
Marasmus	14	4	18	IV. Murder	26		26
Menses	131	116	247		22	1	23
Mortification	4	2	6	Total violent deaths	524	212	736
Necrosis	9	1	10	Grand totals	9,585	8,069	17,654
Neuralgia	30	28	58				
Old age	89	123	212				
Paralysis	44	36	80				
Paramenia		11	11				
Parotitis	11	10	21				

MORTALITY OF THE UNITED STATES.

31

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

SOUTH CAROLINA.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess	9	9	18	Pleurisy.....	11	14	25
Apoplexy	50	51	101	Pneumonia.....	621	443	1,064
Asthma	14	9	23	Puerperal fever.....		43	43
Bowels, disease of	53	37	90	Purpura and scurvy	2		2
Brain, &c., disease of	63	51	114	Quinsy	9	6	15
Bronchitis	35	35	70	Rheumatism.....	28	15	43
Cancer	16	48	64	Scarlatina	84	78	162
Carbuncle	2	2	4	Scrofula.....	28	29	57
Cephalitis	93	66	159	Skin, disease of	20	17	37
Child-birth		113	113	Spine, disease of	13	5	18
Cholera	11	6	17	Splenitis		1	1
Cholera infantum	42	58	100	Still-born	20	29	49
Chorea		1	1	Stomach, disease of	1		1
Consumption	173	217	390	Stone	16	3	19
Convulsions	101	82	183	Sudden death	20	18	38
Croup	128	126	254	Syphilis	6	7	13
Cystitis	1	1	2	Teething	187	173	360
Debility	29	29	58	Tetanus	49	57	106
Delirium tremens	8		8	Throat, disease of	29	33	62
Diabetes	3	2	5	Thrush	11	7	18
Diarrhea	119	142	261	Tumor	4	1	5
Dropsey	277	322	599	Ulcer	6	4	10
Dysentery	139	138	277	Unknown	608	568	1,176
Dyspepsia	16	19	35	Uterus, &c., disease of		5	5
Enteritis	67	43	110	Whooping cough	173	165	338
Epilepsy	3	3	6	Worms	76	62	138
Erysipelas	13	4	17	Yellow fever	2		2
Fever, intermittent	28	27	55	Aggregates	4,612	4,501	9,113
Fever, remittent	201	199	400				
Fever, typhoid	333	332	665				
Gastritis	11	9	20				
Heart, &c., disease of	43	53	96				
Heat	7	2	9	VIOLENT DEATHS.			
Hemorrhage	15	10	25	I. Accidental:			
Hepatitis	1	1	2	Accident not specified	80	24	104
Hernia	10	2	12	Burns and scalds	82	124	206
Hydrocephalus	11	13	24	Drowning	47	24	71
Ileus	2		2	Fall	26	13	39
Infantile	79	95	174	Fire-arms	11		11
Inflammation	18	10	28	Freezing	1	1	2
Influenza	15	6	21	Lightning	6	6	12
Insanity	3	5	8	Neglect and exposure		6	6
Intemperance	16	4	20	Poison	8	7	15
Ischuria	3		3	Railroad	7	1	8
Jaundice	9	2	11	Strangulation	7	4	11
Joints, &c., disease of	1		1	Suffocation	58	74	132
Kidney, &c., disease of	10	4	14	Total accidents	333	284	617
Liver, disease of	42	30	72				
Lungs, disease of	23	30	53	II. Suicide:			
Malformation	5	3	8	Drowning	1		1
Marasmus	13	13	26	Hanging	2		2
Measles	15	34	49	Suicide not specified	4	1	5
Mortification	2	1	3	Total suicides	7	1	8
Necrosis	7	2	9				
Neuralgia	2	5	7	III. Homicide			
Old age	152	153	305	IV. Murder	3		3
Paralysis	46	52	98	V. Executed	3		3
Paramenia		4	4	Total violent deaths	349	287	636
Pericarditis		1	1				
Peritonitis		1	1	Grand totals	4,961	4,788	9,749
Phebitis		1	1				

MORTALITY OF THE UNITED STATES.

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

GEORGIA.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess	9	6	15	Phlebitis	1	—	1
Apoplexy	35	27	62	Pleurisy	11	13	23
Asthma	17	12	29	Pneumonia	737	531	1,208
Bowels, disease of	68	51	119	Puerperal fever	—	68	68
Brain, &c., disease of	51	37	88	Purpura and scurvy	4	—	4
Bronchitis	41	26	67	Quinsy	24	38	62
Cancer	35	46	81	Rheumatism	35	29	64
Carbuncle	1	4	5	Scarlatina	111	106	217
Cephalitis	158	112	270	Scofula	35	24	59
Child-birth	—	135	135	Skin, disease of	113	81	194
Cholera	6	5	11	Small-pox	7	1	8
Cholera infantum	65	63	128	Spine, disease of	15	13	28
Chorea	2	1	3	Splenitis	1	—	1
Consumption	196	295	491	Still-born	37	21	58
Convulsions	96	90	186	Stomach, disease of	4	4	8
Croup	239	184	423	Stone	26	3	29
Cyanosis	1	—	1	Sudden death	18	20	38
Cystitis	8	—	8	Syphilis	4	6	10
Debility	27	31	58	Teething	167	151	318
Delirium tremens	10	2	12	Tetanus	40	39	79
Diabetes	9	5	14	Throat, disease of	25	20	45
Diarrhea	209	158	367	Thrush	19	10	29
Diphtheria	8	9	17	Tumor	7	12	19
Dropsey	299	312	611	Ulcer	12	11	23
Dysentery	223	171	394	Unknown	984	982	1,966
Dyspepsia	28	15	43	Uterus, &c., disease of	—	24	24
Enteritis	93	71	164	Whooping cough	158	176	334
Epilepsy	14	8	22	Worms	110	85	195
Erysipelas	35	40	75	Yellow fever	3	1	4
Fever, intermittent	82	81	163	Aggregates	6,098	5,722	11,820
Fever, remittent	199	206	405	VIOLENT DEATHS.			
Fever, typhoid	472	415	887	I. Accidental:			
Gastritis	12	10	22	Accident not specified	108	30	138
Gout	—	1	1	Burns and scalds	121	192	313
Heart, &c., disease of	59	53	112	Drowning	41	15	56
Heat	5	4	9	Fall	33	14	46
Hemorrhage	21	17	38	Fire-arms	23	—	23
Hepatitis	1	1	2	Freezing	6	1	7
Hernia	5	2	7	Lightning	4	1	5
Hydrocephalus	13	14	27	Neglect and exposure	8	5	13
Hydrophobia	2	1	3	Poison	18	18	36
Ileus	1	1	2	Railroad	11	—	11
Infantile	105	88	193	Strangulation	10	5	15
Inflammation	37	35	72	Suffocation	126	145	271
Influenza	11	6	17	Total accidents	508	426	934
Insanity	4	5	9	II. Suicide:			
Intemperance	35	—	35	Cutting throat	1	—	1
Ischuria	3	—	3	Fire-arms	3	—	3
Jaundice	10	15	25	Hanging	3	3	6
Joints, &c., disease of	1	—	1	Poison	1	1	2
Kidney, &c., disease of	12	3	15	Suicide not specified	7	3	10
Laryngitis	—	2	2	Total suicides	15	7	22
Liver, disease of	45	35	80	III. Homicide	—		
Lungs, disease of	32	37	69	IV. Murder	15	5	20
Malformation	1	4	5	V. Executed	17	2	19
Marasmus	6	5	11	Total violent deaths	556	440	996
Measles	21	26	47	Grand totals	6,654	6,162	12,816
Mortification	2	2	4				
Necrosis	10	6	16				
Neuralgia	15	14	29				
Old age	126	176	302				
Paralysis	57	66	123				
Paramenia	—	7	7				
Parotitis	1	—	1				
Peritonitis	1	—	1				

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

FLORIDA.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess	5	-----	5	Scrofula	1	2	3
Apoplexy	2	5	7	Skin, disease of	6	7	13
Asthma	3	4	7	Spine, disease of	4	-----	4
Bowels, disease of	6	-----	6	Still-born	3	4	7
Brain, &c., disease of	16	17	33	Stomach, disease of	1	-----	1
Cancer	5	6	11	Stone	3	1	4
Cephalitis	25	28	53	Sudden death	3	1	4
Child-birth	-----	30	30	Teething	27	23	49
Cholera	3	-----	3	Tetanus	11	11	22
Cholera infantum	3	3	6	Throat, disease of	3	-----	3
Chorea	-----	1	1	Thrush	1	2	3
Consumption	53	44	97	Tumor	2	-----	2
Convulsions	10	13	23	Ulcer	2	2	4
Croup	12	11	23	Unknown	118	108	226
Debility	1	1	2	Uterus, &c., disease of	-----	5	5
Delirium tremens	1	-----	1	Whooping cough	4	10	14
Diabetes	1	-----	1	Worms	22	17	39
Diarrhea	40	31	71	Yellow fever	11	2	13
Dropsey	66	49	115	Aggregates			1,630
Dysentery	26	21	47	VIOLENT DEATHS.			-----
Dyspepsia	4	3	7	I. Accidental:	-----		
Enteritis	17	13	30	Accident not specified	10	5	15
Erysipelas	4	5	9	Burns and scalds	18	28	46
Fever, intermittent	26	16	42	Drowning	14	2	16
Fever, remittent	56	49	105	Fall	3	1	4
Fever, typhoid	50	38	88	Fire-arms	8	-----	8
Gastritis	-----	2	2	Freezing	-----	1	1
Heart, &c., disease of	11	4	15	Lightning	-----	2	2
Heat	-----	1	1	Poison	3	4	7
Hemorrhage	9	3	12	Railroad	5	-----	5
Hernia	2	-----	2	Strangulation	1	2	3
Hydrocephalus	1	2	3	Suffocation	7	5	12
Infantile	23	22	45	Total accidents	69	50	119
Inflammation	2	4	6	-----			-----
Influenza	1	-----	1	II. Suicide:	-----		
Intemperance	5	1	6	Cutting throat	1	-----	1
Jaundice	-----	1	1	Hanging	1	-----	1
Kidney, &c., disease of	3	2	5	Poison	2	-----	2
Liver, disease of	12	4	16	Total suicides	4	-----	4
Lungs, disease of	-----	5	6	-----			-----
Malformation	1	1	2	III. Homicide	4	-----	4
Marasmus	3	1	4	IV. Murder	5	-----	5
Measles	-----	1	1	V. Executed	7	-----	7
Mortification	-----	1	1	Total violent deaths	89	50	139
Necrosis	2	-----	2	-----			-----
Neuralgia	1	-----	1	Grand totals	979	790	1,769
Old age	17	11	28	-----			-----
Paralysis	8	6	14	-----			-----
Paroxysmia	-----	1	1	-----			-----
Pleurisy	3	3	6	-----			-----
Pneumonia	117	73	190	-----			-----
Puerperal fever	-----	5	5	-----			-----
Purpura and scurvy	-----	1	1	-----			-----
Quinsy	3	1	4	-----			-----
Rheumatism	5	2	7	-----			-----
Scarlatina	3	-----	3	-----			-----

MORTALITY OF THE UNITED STATES

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

ALABAMA

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess	7	3	10	Phlebitis	2		2
Apoplexy	57	50	107	Pleurisy	11	10	21
Asthma	15	21	36	Pneumonia	837	540	1,377
Bowels, disease of	67	63	130	Puerperal fever		54	54
Brain, &c., disease of	89	58	147	Purpura and scurvy	1	3	4
Bronchitis	36	28	64	Quinsy	28	28	56
Cancer	24	49	73	Rheumatism	53	33	86
Carbuncle	1	1	2	Scarlatina	118	133	251
Cephalitis	221	145	366	Serofuln	39	41	80
Child-birth		123	123	Skin, disease of	88	82	170
Cholera	18	7	25	Small-pox		2	2
Cholera infantum	67	33	100	Spine, disease of	26	14	40
Chorea		1	1	Splenitis	2	1	3
Consumption	252	344	596	Still-born	33	27	60
Convulsions	83	90	173	Stomach, disease of	3	5	8
Croup	223	203	425	Stone	16	5	21
Cystitis	4	1	5	Sudden death	28	10	38
Debility	28	29	57	Syphilis	9	5	14
Delirium tremens	5		5	Teething	230	177	407
Diabetes	7	1	8	Tetanus	91	60	151
Diarrhoea	202	126	328	Throat, disease of	33	33	66
Diphtheria	16	31	47	Thrush	15	17	32
Dropsey	298	299	597	Tumor	3	4	7
Dysentery	167	146	313	Ulcer	12	12	24
Dyspepsia	22	11	33	Unknown	808	800	1,608
Enteritis	103	78	181	Uterus, &c., disease of		17	17
Epilepsy	9	3	12	Whooping cough	153	181	334
Erysipelas	23	34	57	Worms	75	88	163
Fever, intermittent	106	83	189	Yellow fever	2		2
Fever, remittent	233	208	441	Aggregates	6,204	5,651	11,855
Fever, typhoid	450	386	836	VIOLENT DEATHS.			
Fistula		1	1	I. Accidental:			
Gastritis	15	28	43	Accident not specified	103	35	138
Gout	1	1	2	Burns and scalds	90	152	242
Heart, &c., disease of	33	51	84	Drowning	61	12	73
Heat	8	3	11	Fall	27	7	34
Hemorrhage	23	20	43	Fire-arms	36	2	38
Hepatitis	1	3	4	Freezing	2		2
Hernia	5		5	Lightning	3	6	9
Hydrocephalus	15	12	27	Neglect and exposure	1		1
Hydrophobia	1		1	Poison	20	14	34
Ileus	1	1	2	Railroad	7		7
Infantile	144	120	264	Strangulation	10	4	14
Inflammation	14	10	24	Suffocation	135	121	256
Influenza	9	9	18	Total accidents	495	353	848
Insanity	2	7	9	II. Suicide:			
Intemperance	32	2	34	Drowning		1	1
Ischuria	2	1	3	Fire-arms	3		3
Jaundice	13	6	19	Hanging	10	1	11
Joints, &c., disease of	2	1	3	Poison	2		2
Kidney, &c., disease of	14	2	16	Suicide not specified	3	1	4
Laryngitis	3	1	4	Total suicides	18	3	21
Liver, disease of	40	31	71	III. Homicide			
Lungs, disease of	40	34	74	IV. Murder	17		17
Malformation	5	2	7	V. Executed	18		18
Marasmus	7	8	15	Total violent deaths	549	356	905
Measles	31	31	62	Grand totals	6,753	6,007	12,760
Mortification	2	3	5				
Necrosis	6	3	9				
Neuralgia	18	18	36				
Old age	123	141	263				
Paralysis	45	38	83				
Paramenia		24	24				
Parotitis	2	2	4				

MORTALITY OF THE UNITED STATES.

35

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

MISSISSIPPI.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess	2	1	3	Peritonitis		1	1
Aneurism	1		1	Pleurisy	12	9	21
Apoplexy	36	21	57	Pneumonia	940	600	1,540
Asthma	3	12	15	Puerperal fever		60	60
Bowels, disease of	38	26	64	Purpura and scurvy	1	1	2
Bruin, &c., disease of	111	64	175	Quinsy	22	23	45
Bronchitis	26	14	40	Rheumatism	23	19	42
Cancer	17	44	61	Scarlatina	149	199	348
Carbuncle	1	1	2	Scrofula	42	40	82
Cephalitis	206	169	375	Skin, disease of	52	49	101
Child-birth		112	112	Spine, disease of	17	17	34
Cholera	14	10	24	Splenitis	1	2	3
Cholera infantum	69	54	123	Still-born	33	30	63
Chorea	1		1	Stomach, disease of	3	6	9
Consumption	239	315	554	Stone	13		13
Convulsions	97	108	205	Sudden death	5	3	8
Croup	224	204	428	Syphilis	6	3	9
Cystitis	3		3	Teething	150	142	292
Debility	26	25	51	Tetanus	57	32	89
Delirium tremens	7		7	Throat, disease of	37	39	76
Diabetes	4		4	Thrush	10	8	18
Diarrhea	167	96	263	Tumor	3	3	6
Diphtheria	48	51	99	Ulcer	9	4	13
Dropsey	216	196	412	Unknown	754	727	1,481
Dysentery	139	132	271	Uterus, &c., disease of		34	34
Dyspepsia	18	15	33	Whooping cough	172	196	368
Enteritis	81	76	157	Worms	73	56	129
Epilepsy	2	6	8	Yellow fever	3	3	6
Erysipelas	29	30	59	Aggregates	5,937	5,461	11,398
Fever, intermittent	142	116	258	VIOLENT DEATHS.			
Fever, remittent	335	309	644	I. Accidental:			
Fever, typhoid	414	394	808	Accident not specified	113	36	149
Fistula		1	1	Burns and scalds	65	108	173
Gastritis	28	22	50	Drowning	45	12	57
Heart, &c., disease of	50	45	95	Fall	15	6	21
Heat	11	6	17	Fire-arms	28	6	34
Hemorrhage	19	15	34	Freezing	9	1	10
Hepatitis	6	1	7	Lightning	8	4	12
Hernia	9	3	12	Neglect and exposure	8	6	14
Hydrocephalus	17	10	27	Poison	22	16	38
Ileus	2		2	Railroad	7	1	8
Infantile	100	106	206	Strangulation	9	3	12
Inflammation	19	14	33	Suffocation	116	123	239
Influenza	5	10	15	Total accidents	445	322	767
Insanity	3	1	4	II. Suicide:			
Intemperance	19		19	Drowning	2	1	3
Ischuria	3	1	4	Fire-arms	3		3
Jaundice	6	4	10	Hanging	2	1	3
Joints, &c., disease of	1	2	3	Suicide not specified	8	3	11
Kidney, &c., disease of	13	3	16	Total suicides	15	5	20
Liver, disease of	33	24	57	III. Homicide			
Lungs, disease of	39	35	74		21	1	22
Malformation	4	1	5	IV. Murder	5		5
Marasmus	8	3	11	V. Executed	2		2
Measles	98	82	180	Total violent deaths	488	328	816
Mortification	3	1	4	Grand totals	6,425	5,789	12,214
Necrosis	5	4	9				
Neuralgia	10	8	18				
Old age	98	108	206				
Paralysis	19	29	48				
Paramenia		10	10				
Parotitis	6	5	11				

MORTALITY OF THE UNITED STATES.

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

LOUISIANA.

MORTALITY OF THE UNITED STATES.

37

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

ARKANSAS.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess	4	5	9	Pleurisy	18	11	29
Aneurism	1		1	Pneumonia	932	593	1,525
Apoplexy	13	16	29	Puerperal fever		68	68
Asthma	3	1	4	Quinsy	28	30	58
Bowels, disease of	9	13	22	Rheumatism	13	9	22
Brain, &c., disease of	111	86	197	Scarlatina	222	215	437
Bronchitis	20	12	32	Scrofula	15	25	40
Cancer	14	18	32	Skin, disease of	102	55	157
Carbuncle	3		3	Small-pox	4		4
Cephalitis	197	181	378	Spine, disease of	8	4	12
Child-birth		86	86	Splenitis	4	3	7
Cholera	6	4	10	Still-born	9	11	20
Cholera infantum	24	17	41	Stomach, disease of	3	1	4
Consumption	160	169	329	Stone	5	2	7
Convulsions	75	58	133	Sudden death	6	10	16
Croup	218	159	377	Syphilis		1	1
Cystitis		1	1	Teething	33	33	66
Debility	4	2	6	Tetanus	12	3	15
Delirium tremens	3		3	Throat, disease of	20	21	41
Diabetes		1	1	Thrush	7	9	16
Diarrhoea	40	50	90	Tumor	1	1	2
Diphtheria	4	6	10	Ulcer	7	12	19
Dropsy	116	129	245	Unknown	532	575	1,107
Dysentery	101	77	178	Uterus, &c., disease of		9	9
Dyspepsia	8	2	10	Whooping cough	87	100	187
Enteritis	78	54	132	Worms	64	69	133
Epilepsy		4	4	Yellow fever	2		2
Erysipelas	50	26	76	Aggregates	4,473	4,010	8,483
Fever, intermittent	207	187	394				
Fever, remittent	302	297	599				
Fever, typhoid	288	229	517				
Gastritis	17	29	46				
Heart, &c., disease of	19	13	32				
Heat	7	3	10	VIOLENT DEATHS.			
Hemorrhage	10	10	20	I. Accidental:			
Hepatitis	3	2	5	Accident not specified	79	9	88
Hernia	2		2	Burns and scalds	26	34	60
Hydrocephalus	3	3	6	Drowning	38	9	47
Ileus	1	2	3	Fall	13	4	17
Infantile	27	13	40	Fire-arms	22	1	23
Inflammation	11	13	24	Freezing	4		4
Influenza	3	6	9	Lightning	1	2	3
Insanity	4		4	Neglect and exposure	2	2	4
Intemperance	11		11	Poison	14	9	23
Ischuria	1		1	Strangulation	1	2	3
Jaundice	7	11	18	Suffocation	33	35	68
Kidney, &c., disease of	3	2	5	Total accidents	233	107	340
Liver, disease of	24	17	41				
Lungs, disease of	32	15	47				
Malformation	3		3	II. Suicide:			
Marasmus	5	5	10	Drowning	1		1
Measles	20	31	51	Poison	1	1	2
Mortification	1	1	2	Total suicides	2	1	3
Necrosis	2		2				
Neuralgia	9	12	21	III. Homicide			
Old age	33	35	68				
Paralysis	21	16	37	IV. Murder	17	3	20
Paramenia		11	11	V. Executed	2		2
Parotitis	1		1	Total violent deaths	262	111	373
				Grand totals	4,735	4,121	8,856

MORTALITY OF THE UNITED STATES.

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

TEXAS.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess	9	2	11	Pleurisy	6	8	14
Apopiexy	22	28	50	Pneumonia	552	412	964
Asthma	7	5	12	Puerperal fever		42	42
Bowels, disease of	18	17	35	Purpura and scurvy	2	1	3
Brain, &c., disease of	84	57	141	Quinsy	35	34	69
Bronchitis	25	24	49	Rheumatism	28	16	44
Cancer	19	25	44	Scarlatina	109	112	221
Carbuncle	2	2	4	Serofula	24	22	46
Cephalitis	178	110	288	Skin, disease of	62	48	110
Child-birth		100	100	Small-pox		1	1
Cholera	6	5	11	Spine, disease of	13	7	20
Cholera infantum	18	25	43	Splenitis	2	1	3
Chorea		1	1	Still-born	15	20	35
Cold water	1		1	Stomach, disease of	2		2
Consumption	221	199	420	Stone	7	1	8
Convulsions	83	56	138	Sudden death	8	4	12
Croup	172	126	298	Syphilis	1	1	2
Cystitis		1	1	Teething	105	94	199
Debility	21	14	35	Tetanus	56	31	87
Delirium tremens	10		10	Throat, disease of	16	23	39
Diabetes	7	1	8	Thrush	5	6	11
Diarrhoea	125	79	204	Tumor	1	2	3
Diphtheria	2	2	4	Ulcer	1	1	2
Dropsey	100	126	226	Unknown	619	593	1,212
Dysentery	170	165	335	Uterus, &c., disease of		16	16
Dyspepsia	8	1	9	Whooping cough	77	77	154
Enteritis	97	81	178	Worms	31	24	55
Epilepsy	2	2	4	Yellow fever	327	103	430
Erysipelas	23	32	55	Aggregates	4,634	4,063	8,697
Fever, intermittent	61	72	133				
Fever, remittent	253	258	511				
Fever, typhoid	352	350	703				
Gastritis		23	45				
Heart, &c., disease of	30	25	55				
Heat	5	3	8				
Hemorrhage	12	14	26	VIOLENT DEATHS:			
Hepatitis	1	1	2	I. Accidental:			
Hernia	6	1	7	Accident not specified	80	19	99
Hydrocephalus	9	7	16	Burns and scalds	36	74	110
Hydrophobia	2	1	3	Drowning	60	12	72
Ileus		1	1	Fall	30	6	36
Infantile	65	50	115	Fire-arms	49	2	51
Inflammation	24	19	43	Freezing	9	1	10
Influenza	5	6	11	Lightning	7	1	8
Insanity	3	7	10	Neglect and exposure	4	6	10
Intemperance	17		17	Poison	26	19	45
Ischuria	1		1	Railroad	1	1	2
Jaundice	4	4	8	Strangulation	5	4	9
Kidney, &c., disease of	14	4	18	Suffocation	39	38	77
Laryngitis	1	3	4	Total accidents	346	183	529
Liver, disease of	29	24	53				
Lungs, disease of	42	25	67				
Malformation	1	1	2				
Marasmus	1	1	2	II. Suicide:			
Measles	59	76	135	Cutting throat	14		14
Mortification	1		1	Fire-arms	6		6
Necrosis	1		1	Hanging	4	1	5
Neuralgia	17	11	28	Poison	2	2	4
Old age	47	61	108	Total suicides	26	3	29
Paralysis	16	18	34				
Paramenia		7	7				
Parotitis		3	3	III. Homicide	53	3	56
Peritonitis		1	1	IV. Murder	62	3	65

MORTALITY OF THE UNITED STATES.

39

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

OREGON.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess		1	1	Rheumatism		1	1
Apoplexy	2	1	3	Scarlatina	20	20	40
Bowels, disease of		1	1	Serofula	2		2
Brain, &c., disease of	2	2	4	Spine disease of		1	1
Bronchitis		1	1	Stone	1		1
Cancer	2		2	Sudden death	2	1	3
Cephalitis	6	2	8	Teething	2		2
Child-birth		3	3	Throat, disease of	7	10	17
Consumption	15	15	30	Ulcer	1		1
Convulsions	1	5	6	Unknown	13	17	30
Croup	12	7	19	Whooping cough	3	2	5
Diabetes	1		1	Worms	1		1
Diarrhoea	1		1	Aggregates	134	140	274
Diphtheria	1		1				
Dropsey		2	2				
Dysentery	2	1	3				
Enteritis	2	3	5				
Erysipelas	3	4	7				
Fever, intermittent	1	1	2	I. Accidental:			
Fever, remittent	3	5	8	Accident not specified	2		2
Fever, typhoid	6	10	16	Burns and scalds	4	1	5
Gastritis		1	1	Drowning	3	2	5
Heart, &c., disease of		1	1	Fire-arms	1		1
Heat	1		1	Poison		1	1
Hemorrhage	1	1	2	Total accidents	10	4	14
Hydrocephalus	2		2				
Infantile	1		1	II. Suicide:			
Inflammation	2	2	4	Suicide not specified	1		1
Intemperance	1		1	Total suicides	1		1
Jaundice		1	1				
Liver, disease of	1	5	6	III. Homicide	6		6
Lungs, disease of	3	1	4	IV. Murder	2		2
Measles	1		1	V. Executed	3		3
Paralysis		1	1	Total violent deaths	22	4	26
Pneumonia	9	10	19	Grand totals	156	144	300
Puerperal fever		1	1				

MORTALITY OF THE UNITED STATES.

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.
CALIFORNIA.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess	19	4	23	Phlebitis	2	3	5
Anæmism	5	1	6	Pleurisy	5		5
Apoplexy	30	11	41	Pneumonia	88	29	117
Asthma	6	1	7	Puerperal fever		3	3
Bowels, disease of	13	6	19	Purpura and scurvy	1	1	2
Brain, &c., disease of	43	27	70	Quinsy		2	2
Bronchitis	11	9	20	Rheumatism	8	3	11
Cancer	11	7	18	Scarlatina	239	202	441
Carbuncle		1	1	Scrofula	6	7	13
Cephalitis	63	58	121	Skin, disease of	1		1
Child-birth		49	49	Small-pox	4		4
Cholera	1	1	2	Spine, disease of	6		6
Cholera infantum	16	10	26	Splenitis	1		1
Consumption	367	157	524	Still-born	20	22	42
Convulsions	21	25	46	Stomach, disease of	1	1	2
Group	43	30	73	Stone	1		1
Cystitis	3		3	Sudden death	4	6	10
Debility	18	12	30	Syphilis	23	1	24
Delirium tremens	13	1	14	Teething	26	28	54
Diabetes	3		3	Tetanus	9	1	10
Diarrœa	24	15	39	Throat, disease of	16	9	25
Diphtheria	34	24	58	Thrush	2	1	3
Dropsey	63	11	74	Tumor	4	2	6
Dysentery	48	23	70	Ulcer	6	2	8
Dyspepsia	2	2	4	Unknown	145	103	248
Enteritis	45	39	84	Uterus, &c., disease of		1	1
Epilepsy	4	1	5	Whooping cough	7	16	23
Erysipelas	7	5	12	Worms	1	1	2
Fever, intermittent	41	22	63	Aggregates			3,243
Fever, remittent	85	39	124				
Fever, typhoid	84	30	114				
Fistula	3		3				
Gastritis	2	7	9	VIOLENT DEATHS.			
Gout	1		1	I. Accidental:			
Heart, &c., disease of	67	23	90	Accident not specified	126	2	128
Heat	4		4	Burns and scalds	16	17	33
Hemorrhage	17	7	24	Drowning	87	8	95
Hepatitis	3		3	Fall	15	4	19
Hernia	9	1	10	Fire-arms	43		43
Hydrocephalus	18	16	34	Freezing	2		2
Ileus	2		2	Neglect and exposure	2		2
Infantile	17	14	31	Poison	12	3	15
Inflammation	10	1	11	Railroad	1		1
Influenza		2	2	Strangulation	1		1
Insanity	5	1	6	Suffocation	5	1	6
Intemperance	25	4	29	Total accidents	310	35	345
Ischuria	2		2	II. Suicide:			
Jaudice	2		2	Cutting throat	5		5
Joints, &c., disease of	3		3	Fire-arms	12		12
Kidney, &c., disease of	5	1	6	Hanging	5	1	6
Laryngitis	2		2	Poison	6	3	9
Liver, disease of	17	10	27	Suicide not specified	6		6
Lungs, disease of	28	12	40	Total suicides	34	4	38
Marsasmus	5	2	7	III. Homicide			
Menses	9	7	16	40	1		41
Mortification	5		5	IV. Murder	31	3	34
Necrosis	1		1	V. Executed	4		4
Neuralgia	2	2	4	Total violent deaths	419	43	462
Old age	7	6	13	Grand totals	2,473	1,232	3,705
Ovarian dropsy		1	1				
Paralysis	32	8	40				
Pericarditis	1		1				
Peritonitis	1		1				

MORTALITY OF THE UNITED STATES.

41

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

DAKOTA.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Cholera.....	1	1	Unknown	1	1	2
Cholera infantum.....	1	1	Aggregates	3	1	4
				Grand totals.....	3	1	4

WASHINGTON.

DISEASE.	DEATHS.			DISEASE:	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Brain, &c., disease of.....		1	1	Unknown		1	1
Cephalitis.....	1	1	2	Worms	1	1
Child-birth.....		3	3	Aggregates	18	23	41
Consumption.....	2	6	8				
Convulsions.....		2	2				
Croup	3	3	6				
Debility		1	1				
Dropsey.....		2	2				
Dysentery.....	1	1				
Enteritis.....	2	2				
Epilepsy	1	1				
Heart, &c., disease of.....	1	1				
Liver, disease of	1	1				
Mortification.....	1	1				
Old age.....	1	1				
Paralysis	1	1				
Pneumonia	1	1				
Scarlatina	1	2	3				
Tetanus		1	1	Grand totals.....	27	23	50

MORTALITY OF THE UNITED STATES.

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued

NEW MEXICO.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess		2	2	Scorofula		1	1
Apoplexy	7	4	11	Skin, disease of	2	1	3
Asthma	7	5	12	Small-pox		1	1
Bowels, disease of	2	3	5	Spine, disease of	1		1
Brain, &c., disease of	6	3	9	Still-born	2	2	4
Bronchitis	4	1	5	Stomach, disease of	4	6	10
Cancer	2	2	4	Stone	1	1	2
Cephalitis	3	2	5	Sudden death	1		1
Child-birth		40	40	Syphilis		2	2
Cholera	4	2	6	Tetanus	1	1	2
Cholera infantum	1		1	Throat, disease of	11	2	13
Consumption	18	16	34	Tumor	4	2	6
Convulsions	1	1	2	Ulcer	1	3	4
Croup	7	2	9	Unknown	151	157	308
Cystitis	6	1	7	Uterus, &c., disease of		1	1
Debility	2	1	3	Whooping cough	5	10	15
Diarrhoea	6	2	8	Worms	1		1
Dropoy	21	20	41	Aggregates			1,032
Dysentery	12	13	25	VIOLENT DEATHS.			
Dyspepsia	4	2	6	I. Accidental:			
Enteritis	6	7	13	Accident not specified	12	2	14
Epilepsy	1	1	2	Burns and scalds	7	16	23
Erysipelas	3	2	5	Drowning	7	4	11
Fever, intermittent	8	1	9	Fall	2	1	3
Fever, remittent	98	94	192	Fire-arms	15		15
Fever, typhoid	3	3	6	Freezing	4		4
Gastritis	7	4	11	Lightning	5	3	3
Heart, &c., disease of	9	6	15	Neglect and exposure	3		3
Heat	2		2	Poison	4		4
Hemorrhage	2	2	4	Strangulation	1		1
Hydrophobia		1	1	Suffocation	2		2
Infantile	8	5	13	Total accidents	62	26	88
Inflammation	14		14	II. Suicide:			
Influenza		1	1	Fire-arms	1		1
Intemperance	7		7	Total suicides	1		1
Ischuria	1		1	III. Homicide:			
Jaundice		1	1	23			23
Kidney, &c., disease of	1	1	2	IV. Murder			
Liver, disease of	11	3	14	94	12		106
Lungs, disease of	7	2	9	V. Executed			
Marasmus		1	1	5			5
Mortification		1	1	Total violent deaths			
Necrosis		1	1	185	38		223
Neuralgia	1	4	5	Grand totals			
Old age	11	14	25	736	569		1,305
Paralysis	1	2	3				
Paramenigo		5	5				
Pleurisy	38	46	84				
Pneumonia		2	2				
Puerperal fever		1	1				
Purpura and scurvy	2		2				
Quinsy	1		1				
Rheumatism	10	7	17				
Scarlatina	1	1	2				

MORTALITY OF THE UNITED STATES.

43

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

UTAH.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Apoplexy		1	1	Quinsy	3	-----	3
Bowels, disease of		2	2	Rheumatism	-----	1	1
Brain, &c., disease of	1	1	2	Scarlatina	2	-----	2
Cephalitis	6	2	8	Skin, disease of	1	1	2
Child-birth		7	7	Teething	6	5	11
Cholera infantum	4	-----	4	Throat, disease of	-----	1	1
Consumption	8	10	18	Thrush	11	5	16
Convulsions	5	3	8	Unknown	18	31	49
Croup	13	10	23	Worms	-----	1	1
Debility	1	1	2	Aggregates	173	147	320
Diabetes	1	-----	1	VIOLENT DEATHS.			
Diarrhoea	5	5	10	I. Accidental:			
Dropsy		3	3	Accident not specified	7	-----	7
Dysentery	3	5	8	Burns and scalds	4	5	9
Dyspepsia		1	1	Drowning	9	5	14
Enteritis	18	7	25	Fall	1	-----	1
Erysipelas	2	1	3	Fire-arms	6	1	7
Fever, remittent	4	4	8	Lightning	2	-----	2
Fever, typhoid	2	6	8	Total accidents	29	11	40
Heart, &c., disease of	1	1	2	II. Suicide:			
Hydrocephalus	3	-----	3	Poison	-----	1	1
Infantile	37	20	57	Total suicides	-----	1	1
Inflammation	3	7	10	III. Homicide	13	-----	13
Influenza	1	-----	1	Total violent deaths	42	12	54
Liver, disease of	3	1	4	Grand totals	215	159	374
Lungs, disease of	2	-----	2				
Measles	1	-----	1				
Old age	2	1	3				
Paralysis	2	-----	2				
Pleurisy		1	1				
Pneumonia	4	2	6				

MORTALITY OF THE UNITED STATES.

TABLE IV.—DEATHS IN THE YEAR ENDING JUNE 1, 1860, ACCORDING TO SEXES AND AGES.

STATES.	UNDER 1 YEAR.			1 TO 2 YEARS.			2 TO 3 YEARS.			3 TO 4 YEARS.			4 TO 5 YEARS.		
	Males.	Females.	Total.												
Maine.....	496	427	923	222	196	418	156	142	298	81	80	161	72	63	135
New Hampshire.....	343	275	618	108	100	208	71	68	139	33	37	70	31	31	62
Vermont.....	190	157	347	82	73	155	62	51	113	47	45	92	38	21	59
Massachusetts.....	2,250	1,920	4,170	909	744	1,653	464	440	904	247	300	547	224	211	435
Rhode Island.....	237	183	420	121	101	222	57	51	108	33	35	68	29	15	44
Connecticut.....	492	399	891	207	168	375	134	130	264	101	80	181	77	74	151
New York.....	4,446	3,542	7,988	2,318	2,048	4,366	1,588	1,425	3,013	1,110	1,094	2,134	717	682	1,399
Total 1st district.....	8,454	6,903	15,357	3,967	3,430	7,397	2,532	2,307	4,839	1,652	1,601	3,253	1,188	1,097	2,285
Michigan.....	753	672	1,425	353	300	653	231	229	460	148	151	299	117	94	211
Wisconsin.....	981	675	1,656	433	347	780	300	299	529	169	153	329	108	95	203
Minnesota.....	154	129	283	65	44	109	35	38	73	17	17	34	19	10	29
Nebraska.....	64	60	124	15	17	32	9	11	20	4	9	13	3	9	12
Total 2d district.....	1,952	1,536	3,488	866	708	1,574	575	507	1,083	338	330	668	247	208	455
New Jersey.....	809	689	1,498	366	318	684	242	192	434	168	176	344	119	113	232
Pennsylvania.....	3,197	2,469	5,666	1,441	1,203	2,644	981	895	1,876	663	612	1,275	442	443	885
Total 3d district.....	4,006	3,158	7,164	1,807	1,521	3,328	1,223	1,087	2,310	831	788	1,619	561	556	1,117
Ohio.....	2,603	2,060	4,663	1,219	1,147	2,366	896	875	1,771	610	564	1,174	464	458	932
Indiana.....	1,705	1,443	3,148	880	839	1,719	565	533	1,098	342	350	692	247	231	478
Illinois.....	2,430	1,977	4,407	1,384	1,177	2,561	825	672	1,497	460	431	891	297	275	572
Iowa.....	971	805	1,776	546	412	958	277	272	549	153	157	310	107	100	207
Kansas.....	174	198	372	83	76	159	61	39	100	34	34	68	21	22	43
Total 4th district.....	7,883	6,483	14,366	4,112	3,651	7,763	2,624	2,391	5,015	1,599	1,536	3,135	1,136	1,086	2,223
Delaware.....	120	112	232	55	59	114	38	40	78	18	19	37	17	9	26
Maryland.....	805	716	1,521	367	320	687	236	242	478	127	121	248	96	75	171
District of Columbia.....	176	150	326	75	45	120	19	32	51	22	18	40	13	15	28
Virginia.....	2,864	2,376	5,240	1,093	976	2,069	626	502	1,128	370	330	700	228	256	484
North Carolina.....	1,631	1,388	3,019	715	614	1,329	400	331	731	171	203	374	141	140	281
Total 5th district.....	5,596	4,742	10,338	2,305	2,014	4,319	1,319	1,147	2,466	708	691	1,399	495	495	990
Kentucky.....	2,123	1,677	3,800	898	735	1,633	501	456	957	334	265	599	218	228	446
Tennessee.....	1,988	1,677	3,665	790	708	1,498	429	377	806	279	210	489	193	163	356
Missouri.....	2,239	1,767	4,006	1,189	1,053	2,242	690	585	1,275	370	315	685	235	260	495
Total 6th district.....	6,350	5,121	11,471	2,877	2,496	5,373	1,620	1,418	3,038	983	790	1,773	646	651	1,297
South Carolina.....	1,281	1,191	2,472	520	467	987	285	272	557	155	134	289	105	104	209
Georgia.....	1,889	1,584	3,473	799	650	1,449	381	323	704	182	200	382	143	130	273
Florida.....	164	155	319	84	77	161	57	40	97	36	31	67	29	37	66
Alabama.....	1,787	1,506	3,293	825	614	1,439	388	331	719	194	181	375	141	147	268
Total 7th district.....	5,191	4,436	9,557	2,228	1,808	4,036	1,111	966	2,077	567	546	1,113	418	418	836
Mississippi.....	1,581	1,411	2,992	745	613	1,358	352	334	716	237	200	437	154	162	316
Louisiana.....	1,197	1,000	2,127	591	529	1,120	406	370	776	220	197	417	158	141	299
Arkansas.....	914	772	1,686	402	336	738	273	241	514	162	177	339	139	157	296
Texas.....	1,115	930	2,045	508	435	943	284	260	544	165	146	311	117	107	224
Total 8th district.....	4,737	4,113	8,850	2,246	1,913	4,159	1,345	1,205	2,550	784	720	1,504	568	567	1,135
Oregon.....	37	34	71	16	11	27	10	11	21	9	4	13	9	4	13
California.....	340	252	592	146	156	302	127	99	226	94	75	169	71	57	198
Dakota.....				1	1										
New Mexico.....	140	112	252	44	63	107	44	28	72	13	11	24	12	16	28
Utah.....	82	45	127	39	31	70	14	9	23	4	4	8	1	6	7
Washington.....	2	3	5	1	1	2	2	1	3	1	3	3	1	1	1
Total 9th district.....	601	446	1,047	247	262	509	197	148	345	120	97	217	93	83	176
Total United States.....	44,700	36,938	81,638	20,655	17,803	38,458	12,546	11,176	23,722	7,582	7,099	14,681	5,352	5,161	10,513

MORTALITY OF THE UNITED STATES.

45

TABLE IV.—DEATHS IN THE YEAR ENDING JUNE 1, 1860, ACCORDING TO SEXES AND AGES.

TOTAL UNDER 5 YEARS.			5 TO 10 YEARS.			10 TO 15 YEARS.			15 TO 20 YEARS.			20 TO 25 YEARS.			25 TO 30 YEARS.			30 TO 40 YEARS.		
Miles.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Miles.	Females.	Total.	Males.	Females.	Total.
1,027	908	1,935	179	172	351	89	147	236	211	304	515	261	283	544	224	260	484	278	350	628
586	511	1,097	91	80	171	53	67	120	94	119	213	110	144	254	103	174	277	159	190	349
419	347	766	87	67	154	55	60	115	64	109	173	87	104	191	62	88	150	104	146	250
4,094	3,615	7,709	506	492	998	215	235	450	348	492	840	425	564	989	669	767	1,436	965	1,039	2,004
477	385	862	76	53	129	25	33	58	38	51	89	61	64	125	52	65	117	109	119	228
1,011	851	1,862	181	163	344	55	84	139	116	118	234	112	154	266	149	162	311	269	280	549
10,179	8,721	18,900	1,782	1,710	3,492	640	634	1,274	820	879	1,699	1,042	1,040	2,082	1,164	1,136	2,302	1,182	1,877	4,059
17,793	15,338	33,131	2,902	2,737	5,639	1,132	1,260	2,392	1,691	2,072	3,763	2,098	2,353	4,451	2,423	2,654	5,077	4,066	4,001	8,067
1,602	1,446	3,048	262	274	536	126	95	221	151	177	328	209	221	430	170	187	357	283	298	581
1,991	1,499	3,490	284	286	570	121	107	228	133	114	247	124	163	287	140	166	306	261	284	545
290	238	528	30	31	61	14	14	28	13	22	35	24	30	54	37	35	72	63	47	110
95	106	201	14	12	26	7	7	14	7	6	13	12	6	18	11	8	19	18	13	31
3,978	3,289	7,267	590	603	1,193	268	223	491	304	319	623	369	420	789	358	396	754	625	642	1,267
1,704	1,488	3,192	295	264	559	107	105	212	125	119	244	160	183	342	157	167	324	287	298	585
6,724	5,622	12,346	1,161	1,106	2,267	485	483	968	546	631	1,177	760	769	1,529	662	689	1,351	1,262	1,069	2,331
8,428	7,110	15,538	1,456	1,370	2,826	592	588	1,180	671	750	1,421	920	951	1,871	819	856	1,675	1,549	1,367	2,916
5,792	5,104	10,896	1,074	1,135	2,199	375	444	819	458	584	1,042	586	612	1,198	477	556	1,033	858	895	1,753
3,739	3,396	7,135	641	716	1,357	240	298	538	344	379	723	383	416	799	309	333	642	550	608	1,158
5,396	4,532	9,928	735	765	1,500	304	305	609	385	389	774	483	469	952	413	409	822	691	660	1,351
2,054	1,746	3,800	260	259	519	116	104	220	142	150	292	143	156	299	165	138	303	229	301	530
373	369	742	55	57	112	40	27	67	33	25	58	50	35	85	56	38	94	95	62	157
17,354	15,147	32,501	2,765	2,922	5,687	1,075	1,178	2,253	1,362	1,527	2,889	1,645	1,688	3,333	1,420	1,474	2,894	2,423	2,526	4,949
248	239	487	41	48	89	27	24	51	27	39	66	35	40	75	25	37	62	54	43	97
1,631	1,474	3,105	229	194	423	109	98	207	138	170	308	195	204	399	146	183	329	288	282	570
305	260	565	37	35	72	12	21	33	30	33	63	21	35	56	36	42	78	71	45	116
5,181	4,440	9,631	696	729	1,425	374	429	803	462	548	1,010	543	608	1,151	385	496	881	672	898	1,570
3,058	2,676	5,734	353	374	727	217	254	471	254	304	558	307	347	654	231	327	558	383	481	863
10,423	9,089	19,512	1,356	1,380	2,736	739	826	1,565	911	1,094	2,005	1,101	1,234	2,335	823	1,085	1,908	1,167	1,749	3,216
4,074	3,361	7,435	683	635	1,318	326	367	693	349	493	842	433	533	966	346	358	704	550	592	1,142
3,679	3,135	6,814	509	477	986	295	303	598	373	448	821	428	516	944	315	429	744	524	609	1,133
4,723	3,980	8,703	661	680	1,341	281	312	593	397	393	790	542	468	1,010	454	390	844	777	621	1,398
12,476	10,476	22,953	1,853	1,792	3,645	902	982	1,884	1,119	1,334	2,453	1,403	1,517	2,920	1,115	1,177	2,292	1,851	1,822	3,673
2,346	2,163	4,514	346	305	651	173	218	391	219	251	470	236	242	478	185	157	342	305	367	672
3,394	2,887	6,281	296	358	654	229	239	468	285	306	591	336	361	697	235	290	525	433	451	884
370	340	710	82	59	141	48	35	83	32	37	69	65	53	118	43	52	95	80	64	144
3,335	2,779	6,114	376	369	745	233	246	479	321	300	621	426	376	802	267	267	534	436	477	913
9,445	8,174	17,619	1,100	1,091	2,191	683	738	1,421	857	894	1,751	1,063	1,032	2,095	730	766	1,496	1,254	1,359	2,613
3,099	2,720	5,819	441	439	880	263	275	538	295	325	620	371	373	743	286	283	569	472	449	921
2,502	2,237	4,739	437	429	866	213	214	427	288	292	580	516	288	804	558	305	863	981	480	1,461
1,890	1,683	3,573	410	385	795	277	244	521	304	310	614	370	316	686	239	231	470	419	421	840
2,189	1,878	4,067	315	325	640	186	187	373	267	282	549	357	295	652	343	231	574	491	394	885
9,680	8,518	18,198	1,603	1,578	3,181	939	920	1,859	1,154	1,209	2,363	1,614	1,271	2,885	1,426	1,050	2,476	2,363	1,744	4,107
81	64	145	15	18	33	4	8	12	5	11	16	4	9	13	16	9	25	12	16	28
778	639	1,417	127	121	248	30	30	60	47	40	87	139	70	209	289	82	371	505	130	695
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
253	230	483	33	29	61	24	20	44	25	38	63	55	38	93	56	39	95	99	65	164
140	95	235	7	10	17	5	-----	5	4	6	10	14	7	21	14	5	19	12	13	25
5	8	13	2	3	5	1	-----	1	1	3	3	2	3	4	5	1	6	7	4	11
1,258	1,036	2,294	183	181	364	63	59	122	81	98	179	214	126	340	381	136	516	695	929	924
90,635	78,177	169,012	13,808	13,654	27,462	6,393	6,774	13,167	8,150	9,297	17,447	10,427	10,592	21,019	9,494	9,594	19,088	16,293	15,439	31,732

MORTALITY OF THE UNITED STATES.

TABLE IV.—DEATHS IN THE YEAR ENDING JUNE 1, 1860, &c.—Continued.

STATES.	40 TO 50 YEARS.			50 TO 60 YEARS.			60 TO 70 YEARS.			70 TO 80 YEARS.			80 TO 90 YEARS.		
	Males.	Females.	Total.												
Maine	242	244	486	264	291	455	337	306	643	368	335	703	258	230	488
New Hampshire	149	140	289	183	156	339	191	180	371	252	250	502	169	231	400
Vermont	101	138	239	118	138	256	152	146	298	214	180	394	148	143	291
Massachusetts	834	763	1,597	764	627	1,391	738	682	1,420	686	732	1,418	363	477	840
Rhode Island	85	82	167	84	75	159	102	84	186	76	98	174	53	60	113
Connecticut	252	182	434	233	183	416	286	245	531	276	269	545	177	209	386
New York	1,814	1,333	3,147	1,599	1,088	2,687	1,576	1,216	2,793	1,358	1,202	2,560	749	740	1,489
Total 1st district	3,477	2,882	6,359	3,245	2,488	5,733	3,382	2,859	6,241	3,230	3,066	6,296	1,917	2,090	4,007
Michigan	262	237	489	313	168	480	258	168	426	192	134	326	70	55	125
Wisconsin	226	190	416	209	165	374	194	126	320	139	93	232	58	46	104
Minnesota	49	44	93	35	26	61	18	13	31	13	9	22	7	5	12
Nebraska	18	8	26	10	10	20	6	2	8	1	1	1	1	1	2
Total 2d district	555	469	1,024	566	369	935	476	309	785	345	236	581	136	107	243
New Jersey	294	173	466	232	172	404	260	160	420	233	210	443	121	129	250
Pennsylvania	1,075	783	1,858	1,009	644	1,653	1,048	783	1,831	925	819	1,744	465	470	935
Total 3d district	1,369	955	2,324	1,241	816	2,057	1,308	943	2,951	1,158	1,029	2,187	586	599	1,185
Ohio	776	604	1,380	676	489	1,165	703	541	1,244	631	504	1,135	370	275	645
Indiana	455	376	831	422	314	736	389	282	671	245	219	464	108	102	210
Illinois	578	399	977	526	338	864	425	295	720	243	204	447	100	86	186
Iowa	218	148	366	206	140	346	178	123	301	100	86	186	48	23	71
Kansas	55	38	93	59	22	81	31	13	44	18	9	27	4	2	6
Total 4th district	2,082	1,565	3,647	1,889	1,303	3,192	1,726	1,254	2,980	1,237	1,022	2,259	630	488	1,118
Delaware	42	40	82	37	27	64	32	37	69	36	32	68	10	17	27
Maryland	287	233	520	249	193	442	249	207	447	201	161	362	97	96	193
District of Columbia	54	30	84	48	27	75	39	25	64	28	21	49	12	10	23
Virginia	657	634	1,291	645	555	1,200	741	625	1,366	612	508	1,120	326	354	680
North Carolina	332	348	680	399	307	629	300	358	658	291	272	563	162	188	350
Total 5th district	1,372	1,285	2,657	1,301	1,109	2,410	1,352	1,252	2,604	1,168	994	2,162	607	665	1,272
Kentucky	450	406	856	434	345	779	398	271	669	310	250	560	184	166	350
Tennessee	423	411	834	370	297	667	365	288	653	254	270	524	162	144	306
Missouri	604	383	986	485	308	793	344	248	592	188	174	362	71	78	149
Total 6th district	1,477	1,199	2,676	1,289	950	2,239	1,107	807	1,914	752	694	1,446	417	388	805
South Carolina	257	264	521	239	223	462	272	245	517	215	165	380	98	112	210
Georgia	344	335	679	286	257	543	363	277	640	222	191	413	121	120	241
Florida	56	50	106	73	31	104	49	27	76	29	19	48	13	10	23
Alabama	386	351	737	319	239	558	328	251	579	190	196	386	74	83	157
Total 7th district	1,043	1,000	2,043	917	750	1,667	1,012	800	1,812	656	571	1,227	306	325	631
Mississippi	391	306	697	285	208	493	271	199	470	128	106	234	60	57	117
Louisiana	751	316	1,067	483	183	666	261	159	420	133	75	208	55	49	104
Arkansas	318	216	534	216	138	354	163	97	260	87	49	136	29	20	49
Texas	355	256	611	262	152	414	170	115	285	82	63	145	33	29	62
Total 8th district	1,815	1,094	2,909	1,246	681	1,927	865	570	1,435	430	293	723	177	155	332
Oregon	9	2	11	6	3	9	3	2	5	1	1	2	—	1	1
California	259	48	307	148	31	179	48	21	69	19	5	24	5	3	8
Dakota	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
New Mexico	69	35	104	49	28	77	33	21	54	11	9	20	7	11	18
Utah	2	8	10	10	9	19	4	3	7	1	1	2	2	2	4
Washington	3	—	3	3	—	3	—	1	1	—	—	—	—	—	—
Total 9th district	342	93	435	218	71	289	88	48	136	32	16	48	14	17	31
Total United States	13,532	10,542	24,074	11,912	8,537	20,449	11,316	8,842	20,158	9,008	7,921	16,929	4,790	4,834	9,624